

Image not found or type unknown



Ref. No.:
146-11162201

Overview and Technical Data:

FISCHER + KRECKE - 34DF/8 CNC

Year of Build:
Jan 1988

Description:

Used Fischer & Krecke Flexo Printing Machine 34DF/8 CNC

Technical Data:

- Film width max. 1.700 mm
- Image width max. 1.650 mm
- Cylinder circumference min. 370 mm
- Cylinder size max. 900 mm
- Gear pitch 10mm
- Processing max. 1.000 mm
- Rewind max. 1.000 mm
- Winding shafts: 76/152mm
- Machine speed max. 300 Ifm/min

Production possibilities:

- PE from 25? to 250?
- PET 12?
- PP 15? to 40?

Machine equipment:

- Automatic roll change
- anti- static blowing at rewinding
- BST web edge control
- BST area vision device
- Corona pretreatment pressure
- Drying electric and water

Pressure cylinder:

- 9 "370.9" 400.9 "430, 17" 460.9 "490.9" 520.9 "550.9" 580 9 "610.9" 640.9 * 670.9 "680.9" 720

20 anilox floor grid lengths from 80 to 300

Technical Data:

Technical Data:

Control:

[CNC](#)

Buyer Information:

Condition:

[Very good condition](#)

Available:

[On Request](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[15 %](#)

Location:

Germany

Images:



www.asset-trade.de

1



2



3



4




5




6



7



8



9



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Ref. No.:
146-11162201

Overview and Technical Data:

FISCHER + KRECKE - 34DF/8 CNC

Year of Build:
Jan 1988

Description:

Used Fischer & Krecke Flexo Printing Machine 34DF/8 CNC

Technical Data:

- Film width max. 1.700 mm
- Image width max. 1.650 mm
- Cylinder circumference min. 370 mm
- Cylinder size max. 900 mm
- Gear pitch 10mm
- Processing max. 1.000 mm
- Rewind max. 1.000 mm
- Winding shafts: 76/152mm
- Machine speed max. 300 Ifm/min

Production possibilities:

- PE from 25? to 250?
- PET 12?
- PP 15? to 40?

Machine equipment:

- Automatic roll change
- anti- static blowing at rewinding
- BST web edge control
- BST area vision device
- Corona pretreatment pressure
- Drying electric and water

Pressure cylinder:

- 9 "370.9" 400.9 "430, 17" 460.9 "490.9" 520.9 "550.9" 580 9 "610.9" 640.9 * 670.9 "680.9" 720

20 anilox floor grid lengths from 80 to 300

Technical Data:

Technical Data:

Control:
[CNC](#)

Buyer Information:

Condition:

[Very good condition](#)

Available:

[On Request](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[15 %](#)

Location:

Germany

Images:





2



3



4




5




6



7



8



9



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Generated on 30.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page