Ref. No.: 620-05111755





## **Description:**

# **Used GLEASON NO 515 - Hypoid Tester - Bevel Gear Tester**

with new Swing Pinion Cone Adjustment for more precise testing of truck, bus and tractor main drive spiral bevel and hypoid gears operating at 90° shaft angle.

### Capacity

- Max gera diameter 609 mm (24").
- Max Pinio Diameter 304 mm (12")
- Offset of gear Spindle above or below centre of pinion spndle 152 mm (6")
- Range of Shaft Angles 0 180

#### PINION SPINDLE

- Diameter of taper hole at large end 329/32"
- Taper per foot 39/64 "
- Depth of taper 3"
- Diameter of hole through spindle 3.740"

#### **GEAR SPINDLE**

- Diameter of taper hole at large end 219/64"
- Taper per foot 1/2"
- Depth of ta per 3"
- Diameter of hole through spindle 2.167"

#### **MISCELLANEOUS**

- Floor space 203cm x 190cm (80"x75")
- Height 182cm (72")
- With Automatic preset backlash
- Hydraulic Chucking to Both Heads
- · Ammeter for Checking Brake Load

The No. 515 Hypoid Tester handles gears up to 24" in diameter and is invaluable for testing gears and pinions

Generated on 17.10.2025 Page 2



together under power, simulating actual operating conditions at all stages of bevel and hypoid gear manufacture.

Generated on 17.10.2025 Page 3



# Technical Data:

**Technical Data:** 

Control: NC

# **Dimensions and Weight:**

Weight: 4.536 kg

## **Buyer Information:**

Condition: Normal wear Available: Immediately

Sold as:

EXW (Ex Works - Incoterm)

VAT: 19 %

Buyers Premium: 15 %

Location: India



# **Images:**













Generated on 17.10.2025 Page 6





## **Asset-Trade**

**Assessment and Sale of Used Assets world wide** 

**Am Sonnenhof 16** 

47800 Krefeld

**Germany** 

Tel.: +49 2151 32500 33