




Asset-Trade

Assessment & Sale of Used Assets

Ref. No.: 718-050301709

MAZATROL 640T

NO	DIR	POS	BL	F	SP	UNIT	...
1
2
3
4
5
6
7
8
9
10
11
12



Overview and Technical Data:

MAZAK - Multiplex 6200Y CNC Lathe

MAZAK

Year of Build: Jan 2004



Description:

Used Mazak Multiplex 6200 Y CNC lathe

CNC CONTROL Mazatrol PC Fusion 640 T

- Turning diameter 260 mm
- Turning length 1190 mm
- x-axis 238 mm
- Z1-axis 438 mm
- Z2-axis 492 mm
- Rapid 30/33 m / min
- Spindle speeds - stepless 35-5000 U / min
- Spindle motor 22/15 kW
- Spindle bore 50.8 mm
- Spindle bore 61 mm
- y-axis 50 mm +/-
- Cutter motor 5 kW
- Speed range - milling 4500 U / min
- c-axis of 0.001 °
- Cutting length feed 180/530 mm shaft
- Total power requirement 22,4 kW
- Space needs about 3,60 x 2,20 x 2,10 m

equipped with:

- Main & sub spindle
- 2 upper turret
- C & Y-axis on both turrets
- Parts ejector with band
- High-pressure cooling
- 2 Hydraulic chuck dia 200mm.
- 2x Auto. great etter (Tooleye)



Asset-Trade

Assessment & Sale of Used Assets

- EIA / ISO Input Function & PCMCIA Interface



Technical Data:

Technical Data:

Control: Mazatrol Fusion 640T
Turning length: 1190.00 mm
Turning diameter: 260.00 mm
Spindle Speed: 5000.00 rpm
Tailstock: Yes
Bezel: No

Dimensions and Weight:


Height: 2100 mm
Length: 3600 mm
Width: 2200 mm
Weight: 7700 kg

Buyer Information:

Condition: Very good condition
Available: Q4
Sold as:
EXW (Ex Works - Incoterm)
VAT: 19 %
Buyers Premium: 16 %
Location: Germany




Images:





As



e

Assets

6

MAZAK CONTROL BOX

MODEL	H P 52007	
ASS. NO.	1111111111	
DATE	04-11	
ELEMENTARY DIAGRAM	D 0517070	
MAIN CIRCUIT	3AC	200 V 50/60Hz
CONTROL CIRCUIT	AC100V	DC24V
MAIN MOTOR	MAX. 15 A	200 V
RATED CAPACITY	37 KVA	

M YAMAZAKI MAZAK CORP.
MADE IN JAPAN



Asset-Trade

Assessment & Sale of Used Assets



Asset-Trade

Assessment & Sale of Used Assets



Asset-Trade

**Assessment and Sale of Used Assets world
wide**

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33