

Image not found or type unknown



Ref. No.:
813-03281000

Overview and Technical Data:

DECKEL - DMU 80T Spindle bearings renewed in December 2016

DMG DECKEL



DMG

Year of Build:
Jan 2002

Description:

Used DMG DECKEL DMU 80T

Control unit Heidenhain TNC 426

Spindelberings renewed in December 2016

Good general condition

- Travel distances
 - X-way 800 mm
 - Y-way 650 mm
 - Z-way 550 mm
- Spindle speeds - stepless 20 - 6,300 rpm
- Drive power 100% ED 11.00 kW
- Drive power 40% ED 16.20 kW
- Table surface area 1,100 x 650 mm
- Number of T-grooves 10

- T-slots - clearance 63 mm
- T - notch width 14H7 mm
- Table load 0,60 t
- Feed rate X / Y / Z axis 20 - 10,000 mm / min
- Rapid traverse X / Y / Z 15.00 m / min
- Tool holder SK40 / HSK-A50
- Tool magazine: 25
- Tool diameter max. 80 mm
- Tool diameter with 2 frel shots 160 mm
- Tool length - max. 315 mm
- Total power requirement 25,00 kW
- Space requirement approx. 5,00 x 4,00 x H2,80 m

Technical Data:

Technical Data:

Control:

[TNC 426](#)

Spindle Speed:

6.300 rpm

Tool Capacity:

25 x

Travels:

X-Axis:

800 mm

Y-Axis:

650mm

Z-Axis:

550 mm

Dimensions and Weight:

Height:

2.800 mm

Width:

4.000 mm

Length:

5.000 mm

Weight:

7.000 kg

Buyer Information:

Condition:

[Normal wear](#)

Availability:

[Immediately](#)

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

Buyers Premium:

15 %

Location:

Germany

Images:

DMU 80

DECKEL MAHO





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Ref. No.:
813-03281000

Overview and Technical Data:

DECKEL - DMU 80T Spindle bearings renewed in December 2016

DMG DECKEL

The image shows the logo for DMG, consisting of the letters 'DMG' in a bold, white, sans-serif font. The letters are set against a dark teal background that has rounded corners on the left side.

Year of Build:
Jan 2002

Description:

Used DMG DECKEL DMU 80T

Control unit Heidenhain TNC 426

Spindelberings renewed in December 2016

Good general condition

- Travel distances
 - X-way 800 mm
 - Y-way 650 mm
 - Z-way 550 mm
- Spindle speeds - stepless 20 - 6,300 rpm
- Drive power 100% ED 11.00 kW
- Drive power 40% ED 16.20 kW
- Table surface area 1,100 x 650 mm
- Number of T-grooves 10
- T-slots - clearance 63 mm
- T - notch width 14H7 mm
- Table load 0,60 t
- Feed rate X / Y / Z axis 20 - 10,000 mm / min
- Rapid traverse X / Y / Z 15.00 m / min
- Tool holder SK40 / HSK-A50
- Tool magazine: 25
- Tool diameter max. 80 mm
- Tool diameter with 2 frel shots 160 mm

- Tool length - max. 315 mm
- Total power requirement 25,00 kW
- Space requirement approx. 5,00 x 4,00 x H2,80 m

Technical Data:

Technical Data:

Control:

[TNC 426](#)

Spindle Speed:

6.300 rpm

Tool Capacity:

25 x

Travels:

X-Axis:

800 mm

Y-Axis:

650mm

Z-Axis:

550 mm

Dimensions and Weight:

Height:

2.800 mm

Width:

4.000 mm

Length:

5.000 mm

Weight:

7.000 kg

Buyer Information:

Condition:

[Normal wear](#)

Availability:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[15 %](#)

Location:

Germany

Images:

DMU 80

DECKEL MAHO





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Generated on 07.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page