



Image not found or type unknown

Ref. No.:

834-08241408

Overview and Technical Data:

WERTH Probe-Check 400x400x200 3D CNC

WERTH



WV

Messtechnik

Year of Build:
Jan 2009

Description:

Used WERTH Probe-Check 400x400x200 3 D CNC Coordinate Measuring Machine.

Technical Data

- measuring range X/Y/Z 400 x 400 x 200 mm
- surface area 600 x 400 x 200 mm
- dist. between centers mm
- x-axis 400 mm
- y-axis 400 mm
- z-axis 200 mm
- Number of axes 3 St.
- workpiece weight 150 kg
- measuring system resolution capability 0,1 µm
- machine weight ab. 1100 kg
- Overall size 1280 x 1300 x 1940 mm

Description

Ultra High Precision Multisensor Coordinate Measuring Machine

Type Probe Check 400x400x200 3 D CNC

Coordinate measuring device in "fixed bridge" construction, i.e.. Of the measuring slides Moves transversely and the working stroke moves in the longitudinal direction, the various Measuring heads move vertically. The measuring machine is built in solid granite and therefore also very low vibration. The computer is separate and the axis movement is carried out with a mobile Control unit triggered with two joysticks.

This device has the following measuring systems:

1.) Optical touch probe, i. The workpiece will have a high precision Image processing sensor and distance sensor are measured without contact, Fastest and easiest way of surveying. Magnification 5/10-fold over AC Lens.

- High Precision Contour - Image processing for the automatic measurement of control and Freeform geometries-!

2.) Mechanical touch probe for the tactile measurement of workpieces by means of RENISHAW Probe TP 200 with presumed measuring probe.

3.) Laser measuring system for larger free-form surfaces in the medium tolerance range System LLP = LaserLineProbe

Software / Programming System:

WINWERTH software is characterized by fast and intuitive Operation of the device, with various subroutines such as BestFit / Scalib / CAQ / Statistics, etc. It allows manual measurements, programming in teach-in mode and Directly with the CAD data. In the Teach-In mode, only the first part becomes Measured, the software saves the individual program steps and generates Corresponding measuring program for further identical parts The individual measuring methods are controlled via the keyboard or screen Controlled. Workpiece alignment frame with 7 different zones. scanning function

Condition: very good

New Price = € 190.000.--

Technical Data:

Technical Data:

Control:

[CNC](#)

Dimensions and Weight:

Height:

1.940 mm

Length:

1.280 mm

Width:

1.300 mm

Weight:

1.100 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:


[19 %](#)

Location:

Germany

Images:











Werth Messtec

Typ:

Type:

Probe-Check 400x

Baujahr:

Model:

200

Spannung:

Voltage:

230

Frequenz:

Frequency:

50

Werth Messtechnik
Made in Germany



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Ref. No.:
834-08241408

Overview and Technical Data:

WERTH Probe-Check 400x400x200 3D CNC

[WERTH](#)



wc

Messtechnik

Year of Build:
Jan 2009

Description:

Used WERTH Probe-Check 400x400x200 3 D CNC Coordinate Measuring Machine.

Technical Data

- measuring range X/Y/Z 400 x 400 x 200 mm
- surface area 600 x 400 x 200 mm
- dist. between centers mm
- x-axis 400 mm
- y-axis 400 mm
- z-axis 200 mm
- Number of axes 3 St.
- workpiece weight 150 kg
- measuring system resolution capability 0,1 µm
- machine weight ab. 1100 kg
- Overall size 1280 x 1300 x 1940 mm

Description

Ultra High Precision Multisensor Coordinate Measuring Machine

Type Probe Check 400x400x200 3 D CNC

Coordinate measuring device in "fixed bridge" construction, i.e.. Of the measuring slides Moves transversely and the working stroke moves in the longitudinal direction, the various Measuring heads move vertically. The measuring machine is built in solid granite and therefore also very low vibration. The computer is separate and the axis movement is carried out with a mobile Control unit triggered with two joysticks.

This device has the following measuring systems:

1.) Optical touch probe, i. The workpiece will have a high precision Image processing sensor and distance sensor are measured without contact, Fastest and easiest way of surveying. Magnification 5/10-fold over AC Lens.

- High Precision Contour - Image processing for the automatic measurement of control and Freeform geometries-!

2.) Mechanical touch probe for the tactile measurement of workpieces by means of RENISHAW Probe TP 200 with presumed measuring probe.

3.) Laser measuring system for larger free-form surfaces in the medium tolerance range System LLP = LaserLineProbe

Software / Programming System:

WINWERTH software is characterized by fast and intuitive Operation of the device, with various subroutines such as BestFit / Scalib / CAQ / Statistics, etc. It allows manual measurements, programming in teach-in mode and Directly with the CAD data. In the Teach-In mode, only the first part becomes Measured, the software saves the individual program steps and generates Corresponding measuring program for further identical parts The individual measuring methods are controlled via the keyboard or screen Controlled. Workpiece alignment frame with 7 different zones. scanning function

Condition: very good

New Price = € 190.000.--

Technical Data:

Technical Data:

Control:

[CNC](#)

Dimensions and Weight:

Height:

1.940 mm

Length:

1.280 mm

Width:

1.300 mm

Weight:

1.100 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:


[19 %](#)

Location:

Germany

Images:











Werth Messtec

Typ:

Type:

Probe-Check 400x

Baujahr:

Model:

200

Spannung:

Voltage:

230

Frequenz:

Frequency:

50

Werth Messtechnik
Made in Germany



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Generated on 16.02.2026

© Copyright 2026 - [Asset-Trade](#)

Page