



Image not found or type unknown

Ref. No.:

847-11201535

## **Overview and Technical Data:**

# **OMAX - MAXIEM 1530 Waterjet**

**OMAX**



Year of Build:  
Mar 2015

## Description:

### Used QMAX MAXIEM 1530 Water Jet Cutting machine

- Work Envelope
- X-Y Cutting Envelope \*\*\*3,048 mm x 1,575 mm
- Z-Axis Travel \*\*\*305 mm
- Table Size – (L x W)3,708 mm x 1,727 mm
- Standard Model Specifications
- Speed12,700 mm/min
- Linear Positional Accuracy±0.0762 mm
- Repeatability±0.0254 mm
- Ballbar Circularity±0.1270 mm
- Footprint – (L x W)4,293 mm x 3,302 mm Height \*\*3,200 mm
- Weight (tank empty)1,814 kg

More info shorty.

- Pump Output 50,000 PSI
- X-Axis Travel 3,061 mm
- Y-Axis Travel 1,575 mm
- Z-Axis Travel 305 mm
- Table Size-W 1,740 mm
- Table Size-L 3,708 mm
- Power 29.8 kW
- Weight 4,000

#### FEATURES:

- Fast cutting speeds and high precision that is backed by our exclusive Intelli-MAX® Software with real world cutting data
- Programmable Motorized Z-Axis with a precision OMAX MAXJET®5i Nozzle boosts productivity and process efficiency
- Drive system protected against water, dirt, and grit
- Powerful all-in-one controller computer with large 23" screen
- Highly efficient, industry-proven direct drive pumps available up to 40 hp with operating efficiencies up to 85%
- Free Intelli-VISOR® SE System Monitoring simplifies routine maintenance planning to minimize downtime
- Optional Rapid Water Level Control for quiet submerged cutting
- Optional Bulk Abrasive Feed Assembly transports garnet from the assembly's large hopper into the Zero Downtime Hopper located at the Programmable Motorized Z-Axis
- Optional Variable Speed Solids Removal System (VS-SRS) designed for industrial use increases uptime through automated solids removal
- Factory tested as a complete system before shipping

## Technical Data:

## Technical Data:

Control:  
[CNC](#)

## Dimensions and Weight:

Height:  
3.200 mm  
Length:  
4.293 mm  
Width:  
3.302 mm  
Weight:  
1.814 kg

## **Buyer Information:**

Condition:  
[Very good condition](#)  
Available:  
[Immediately](#)  
Sold as:  
[EXW \(Ex Works - Incoterm\)](#)  
VAT:  
[19 %](#)  
Location:  
Germany

## **Images:**









Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://mail.asset-trade.de/en>

Ref. No.:  
847-11201535

**Overview and Technical Data:**



# **OMAX - MAXIEM 1530 Waterjet**

**[OMAX](#)**



Year of Build:  
Mar 2015

## Description:

### Used QMAX MAXIEM 1530 Water Jet Cutting machine

- Work Envelope
- X-Y Cutting Envelope \*\*\*3,048 mm x 1,575 mm
- Z-Axis Travel \*\*\*305 mm
- Table Size – (L x W)3,708 mm x 1,727 mm
- Standard Model Specifications
- Speed12,700 mm/min
- Linear Positional Accuracy±0.0762 mm
- Repeatability±0.0254 mm
- Ballbar Circularity±0.1270 mm
- Footprint – (L x W)4,293 mm x 3,302 mm Height \*\*3,200 mm
- Weight (tank empty)1,814 kg

More info shorty.

- Pump Output 50,000 PSI
- X-Axis Travel 3,061 mm
- Y-Axis Travel 1,575 mm
- Z-Axis Travel 305 mm
- Table Size-W 1,740 mm
- Table Size-L 3,708 mm
- Power 29.8 kW
- Weight 4,000

#### FEATURES:

- Fast cutting speeds and high precision that is backed by our exclusive Intelli-MAX® Software with real world cutting data
- Programmable Motorized Z-Axis with a precision OMAX MAXJET®5i Nozzle boosts productivity and process efficiency
- Drive system protected against water, dirt, and grit
- Powerful all-in-one controller computer with large 23" screen
- Highly efficient, industry-proven direct drive pumps available up to 40 hp with operating efficiencies up to 85%
- Free Intelli-VISOR® SE System Monitoring simplifies routine maintenance planning to minimize downtime
- Optional Rapid Water Level Control for quiet submerged cutting
- Optional Bulk Abrasive Feed Assembly transports garnet from the assembly's large hopper into the Zero Downtime Hopper located at the Programmable Motorized Z-Axis
- Optional Variable Speed Solids Removal System (VS-SRS) designed for industrial use increases uptime through automated solids removal
- Factory tested as a complete system before shipping

## Technical Data:

## Technical Data:

Control:  
[CNC](#)

## Dimensions and Weight:

Height:  
3.200 mm  
Length:  
4.293 mm  
Width:  
3.302 mm  
Weight:  
1.814 kg

## **Buyer Information:**

Condition:  
[Very good condition](#)  
Available:  
[Immediately](#)  
Sold as:  
[EXW \(Ex Works - Incoterm\)](#)  
VAT:  
[19 %](#)  
Location:  
Germany

## **Images:**









Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://mail.asset-trade.de/en>

Generated on 16.02.2026

© Copyright 2026 - [Asset-Trade](#)

Page