

Image not found or type unknown



Ref. No.:
1020-05131318

Overview and Technical Data:

SPINNER - U5-620 5 axis

SPINNER

SPIN

Year of Build:
Jan 2012

Description:

Used SPINNER U5-620 5-Axis Simultaneously

CNC Control Heidenhain TNC620

5-axis model with large turn-tilt table integrated in the machine bed

Technical data:

- Work area / travel paths
 - X axis 620 mm
 - Y axis 520 mm
 - Z axis - 460 mm
 - C axis 360 °
 - B axis + 5 ° (+ 50 °) / -110 °
 - Min. Distance spindle nose - table 150 mm
 - Max. Distance spindle nose - table 610 mm
 - Feed / rapid traverse 48 m / min
- Spindle
 - Turning speed 12,000 rpm
 - Power Pmax 22 kW
 - Torque Mmax 135 Nm
 - 26 bar inside cooling
- Tools
 - Number of tool stations 32 Max. High-speed automatic tool changer as double-arm changer
 - Tool diameter 76 mm
 - at free neighboring places 127 mm
 - Max. Tool length 290 mm
 - Max. Tool mass 7 kg
 - Tool Holder SK40
- Table
 - Table dimensions Ø 720 x 540 mm
 - Max. Table load 300 kg
 - T-slots 18
- Dimensions (L x D x H) 3,133 x 2,415 x 2,920 mm

Technical Data:

Technical Data:

Control:

[TNC 620](#)

Machine Hours:

23.136 hrs.

Spindle Speed:

12.000 rpm

Tool Capacity:

32 x

Travels:

X-Axis:
620 mm
Y-Axis:
520mm
Z-Axis:
460 mm

Dimensions and Weight:

Height:
2.920 mm
Width:
2.415 mm
Length:
3.133 mm
Weight:
7.100 kg

Buyer Information:

Condition:
[Very good condition](#)
Availability:
[On Request](#)
Sold as:
[EXW \(Ex Works - Incoterm\)](#)
VAT:
[19 %](#)
Buyers Premium:
[16 %](#)
Location:
Turkey

Images:



SP

SPINNER

U-620





BUTESGAR
hyperMILL
KAZILMÄLE
ÇALIŞTIRMAKTADIR
OPEN MIND

NER U-620

BENSIN
DİM 1
1000



HAAS

HAAS

HAAS

HAAS











SPINNER U-620



Technical specifications or safety instructions printed on a sheet of paper attached to the machine's door.








BAYSALLAR SERVO VOLTAJ REGÜLATÖRLERİ














SPINNER TAKIM TEZGAHLARI
SANAYİ ve TİCARET LTD.ŞTİ.

Hasan Yalman cd. Desbas depo binası
No:2 Tuzla İSTANBUL - TÜRKİYE

Nr : UT 0227

Type : 620

U : 3 x 400 V ~

I : 42 A 50

Hz : 50 / 60 Hz 2012




Warning: Read the manual before use.
Caution: Do not touch the fan blades.
Do not use water to clean the unit.
Do not use flammable liquids to clean the unit.
Do not use the unit in a room with a high humidity level.
Do not use the unit in a room with a high temperature level.
Do not use the unit in a room with a high dust level.
Do not use the unit in a room with a high noise level.

RYTAL







20



21

Video:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Ref. No.:
1020-05131318

Overview and Technical Data:

SPINNER - U5-620 5 axis

SPINNER

SPIN

Year of Build:
Jan 2012

Description:

Used SPINNER U5-620 5-Axis Simultaneously

CNC Control Heidenhain TNC620

5-axis model with large turn-tilt table integrated in the machine bed

Technical data:

- Work area / travel paths
 - X axis 620 mm
 - Y axis 520 mm
 - Z axis - 460 mm
 - C axis 360 °
 - B axis + 5 ° (+ 50 °) / -110 °
 - Min. Distance spindle nose - table 150 mm

- Max. Distance spindle nose - table 610 mm
- Feed / rapid traverse 48 m / min
- Spindle
 - Turning speed 12,000 rpm
 - Power Pmax 22 kW
 - Torque Mmax 135 Nm
 - 26 bar inside cooling
- Tools
 - Number of tool stations 32 Max. High-speed automatic tool changer as double-arm changer
 - Tool diameter 76 mm
 - at free neighboring places 127 mm
 - Max. Tool length 290 mm
 - Max. Tool mass 7 kg
 - Tool Holder SK40
- Table
 - Table dimensions Ø 720 x 540 mm
 - Max. Table load 300 kg
 - T-slots 18
- Dimensions (L x D x H) 3,133 x 2,415 x 2,920 mm

Technical Data:

Technical Data:

Control:

[TNC 620](#)

Machine Hours:

23.136 hrs.

Spindle Speed:

12.000 rpm

Tool Capacity:

32 x

Travels:

X-Axis:

620 mm

Y-Axis:

520mm

Z-Axis:

460 mm

Dimensions and Weight:

Height:

2.920 mm

Width:

2.415 mm

Length:

3.133 mm

Weight:

7.100 kg

Buyer Information:

Condition:

[Very good condition](#)

Availability:

[On Request](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[16 %](#)

Location:

Turkey

Images:



SPINNER

U-620


















BAYSALLAR SERVO VOLTAJ REGÜLATÖRLERİ














SPINNER TAKIM TEZGAHLARI
SANAYİ ve TİCARET LTD.ŞTİ.

Hasan Yalman cd. Desbas depo binası
No:2 Tuzla İSTANBUL - TÜRKİYE

Nr : UT 0227

Type : 620

U : 3 x 400 V ~

I : 42 A 50

Hz : 50 / 60 Hz 2012




AVVERTENZE
PER IL MONTAGGIO
E L'USO
DELLE UNITÀ
SPLIT SYSTEM

⚠️ ⚡️ ⚙️ ⚠️

HYTAL







20



21

Video:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Generated on 19.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page