

Image not found or type unknown



Ref. No.:

1347-11301300

## Overview and Technical Data:

### **Hawker Enersys Powersafe 12V92F UPS Battery**

#### **NOT DEFINED**



Multiple Makes or Not Defined

Year of Build:  
Jan 2020

#### **Description:**

### **Used Hawker Enersys PowerSafe 12V92F 12V - 92Ah (10h) UPS Batteries**

32x units in rack

Year of manufacture 2020

Technical data:

- Rated voltage: 12 Volt
- Connection: M8 F

- Capacity (C10): 92 Ah
- Connection: M8 internal thread
- Polarity: left negative pole, right positive pole
- Number of cells: 6
- Eurobat "Long Life" 15 years (at 20 degrees C)
- Dimensions: LxWxH: 395mm x 105mm x 264mm
- Weight: 27,60 Kg

---

Powersafe V Front Terminal batteries are maintenance-free, sealed lead-acid batteries specially developed for use in replacement power supply systems that have to meet the highest requirements for safety and availability. They are suitable for 19", 23" and ETSI racks.

Both installation and maintenance are simple and effective due to the front-mounted poles. The front terminal technology enables space-saving installation, resulting in excellent power density. The use of gas recombination technology eliminates the need for water refilling throughout the service life.

### **Design features:**

- Positive plates for long service life
- Separators in microporous glass-fleece technology (AGM)
- Housing made of impact-resistant plastic (ABS)

### **Areas of application include :**

- Telecommunications
- UPS
- UPS (uninterruptible power supply)
- Power generation, transmission and distribution
- Emergency lighting
- Security systems

### **Technical Data:**

#### **Technical Data:**

Control:

[Conventional](#)

### **Dimensions and Weight:**

Height:

264 mm

Length:

395 mm

Width:

105 mm

Weight:

28 kg

## **Buyer Information:**

Condition:

Very good condition

Available:

Sold

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

Buyers Premium:

16 %

Location:

Germany

## **Images:**





32

10/12/19



BATTERY B

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13




# Inspektionsheft

für stationäre Bleibatterien der Baureihen  
PowerSafe, DataSafe, Genesis, Odyssey

# Inspection log-book

for stationary lead-acid batteries model range  
PowerSafe, DataSafe, Genesis, Odyssey



**HAWKER.**

2703874



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://mail.asset-trade.de/en>

Ref. No.:

1347-11301300

**Overview and Technical Data:**

# **Hawker Enersys Powersafe 12V92F UPS Battery**

## **NOT DEFINED**



Multiple Makes or Not Defined

Year of Build:

Jan 2020

### **Description:**

## **Used Hawker Enersys PowerSafe 12V92F 12V - 92Ah (10h) UPS Batteries**

32x units in rack

Year of manufacture 2020

Technical data:

- Rated voltage: 12 Volt
- Connection: M8 F
- Capacity (C10): 92 Ah
- Connection: M8 internal thread
- Polarity: left negative pole, right positive pole
- Number of cells: 6
- Eurobat "Long Life" 15 years (at 20 degrees C)
- Dimensions: LxWxH: 395mm x 105mm x 264mm
- Weight: 27,60 Kg

Powersafe V Front Terminal batteries are maintenance-free, sealed lead-acid batteries specially developed for use in replacement power supply systems that have to meet the highest requirements for safety and availability. They are suitable for 19", 23" and ETSI racks.

Both installation and maintenance are simple and effective due to the front-mounted poles. The front terminal technology enables space-saving installation, resulting in excellent power density. The use of gas recombination technology eliminates the need for water refilling throughout the service life.

### **Design features:**

- Positive plates for long service life
- Separators in microporous glass-fleece technology (AGM)
- Housing made of impact-resistant plastic (ABS)

### **Areas of application include :**

- Telecommunications
- UPS
- UPS (uninterruptible power supply)
- Power generation, transmission and distribution
- Emergency lighting
- Security systems

### **Technical Data:**

#### **Technical Data:**

Control:

[Conventional](#)

#### **Dimensions and Weight:**

Height:

264 mm

Length:

395 mm

Width:

105 mm

Weight:

28 kg

### **Buyer Information:**

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

19 %

Buyers Premium:

16 %

Location:

Germany

**Images:**





32

10/12/19



BATTERY B

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13

16

15

14

13




# Inspektionsheft

für stationäre Bleibatterien der Baureihen  
PowerSafe, DataSafe, Genesis, Odyssey

# Inspection log-book

for stationary lead-acid batteries model range  
PowerSafe, DataSafe, Genesis, Odyssey



**HAWKER.**

2703874



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://mail.asset-trade.de/en>

Generated on 18.02.2026

© Copyright 2026 - [Asset-Trade](#)

Page