


Image not found or type unknown



Ref. No.:

1101-01090840

## Overview and Technical Data:

### 2x DEUTZ Diesel Power Generators 517KW

#### NOT DEFINED



Multiple Makes or Not Defined

Year of Build:  
Jan 2000

#### Description:

**Used 2x DEUTZ DieselPower Generators DC 500KW & 60Hz for sale.**

**Diesel Generator**

**Engine Model : BF 8M 1015CP**

**Only Run Hours : about 200 hrs each**

---

The 2x DEUTZ DieselPower Generators DC 500KW & 60Hz for sale are high-performance diesel generators that are designed to deliver reliable and efficient power. These generators are powered by the BF 8M 1015CP engine, which is known for its durability, fuel efficiency, and low emissions. The engines have been run for only about 200 hours each, which means they are in excellent condition and ready to be put to work.

## **Technical Data:**

### **Technical Data:**

Control:

[CNC](#)

## **Buyer Information:**

Condition:

[Normal wear](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)


Location:

Korea

## **Images:**
















WARNING  
STARTS  
AUTOMATICALLY





Typ

GM 1015 CP

kW (G)  
517

Code  
D200517

kW (S)

1/min  
1800

kW (W)

Mot.-Nr.

9177079

kW (G) red.

kW (S) red.

°C

25

m  
100

DIN ISO 3046 IFN \*

DEUTZ AG

MADE IN GERMANY

DEUTZ®



Mot.-Typ

BF 8M 1015 CP

kW (G)

D 200 C 517

kW (S)

1/min

517

kW (W)

1800

Code


1800



DEUTZ®

DIN 15030 304  
DEUTZ AG







Mot.-Nr.

D 20 G 5 17

Code

D 20 G 5 17

kW (G)

517

1/min

Art.-Typ

DE 8 M 1015 CP

A





POWER PROTECTION BV  
THE NETHERLANDS

INDUCTION COUPLING

Type	XQ-XGA 2/12	IP	21	IM	1101	IEC	34-1 (1994)	Insul. Class	F
Machine No	27805649-05	Design No	X0053	Year of Manuf.	2006				
<b>ACCELERATION WINDING</b>									
3 ~ 80 Hz 480 V 9,5A									
Power Factor	0,75	ART NO	8832520	BRAKE	WINDING				
Duty	S1			Max. Current	230 A (DC)				
No. of Poles	2			Max. Torque	5800 Nm				
Speed inner rotor	5280 1/min			Duty	5%				
inertia moment of inertia	45 kgm <sup>2</sup> (J)			No. of Poles	12				
Speed outer rotor	1800 1/min			Speed outer rotor	1800 1/min				
Mass	2800 kg			Mass	2800 kg				

Lubrication of bearings: Refer to lubrication instructions

READY TO SHIP

ORDER NUMBER: 329

DATE:

03-12-18

TO BE REMOVED BY CUSTOMER ONLY - ALLEEN DOOR







UL 1446 Info.  
**STAMFORD**  
UL File: OBJY2 E187789  
Designation: H: UL1446  
Factory ID Code: RO/CR

AUD03046-B

**STAM**

S/N	C19B056135	MODEL	HC1534F2	DUTY
PF	8	CONNECTION	S STAR	kVA
EXC V	44	PHASE	3	MW
EXC A	2.6	INS CLASS	H	V
WDG	14	IP	IP23	A
ALT. m	1000	kg	1694	Hz
				RPM
				AMB
				TEMP
				TL

CE

IEC 60034-1 ISO 8528-3 MG 1-32 BS 5000-3  
stamford-avk.com



DIESEL ENGINE



OIL



COOLING WATER



OPERATION HOURS



OIL





C19B056135

BEARING TYPE		DE	LA	STAMFORD	AC GENERATORS
TYPE DE PALIER					450-15525F
LAGERGROESSE					
TIPO DI CUSCINETTO		6220	C3		
TIPO DE COJINETE					
GREASE TYPE		KLUBER		GREASE QUANTITY	
TYPE DE GRAISSE		ASONIC		QUANTITE DE GRAISSE	46 cm <sup>3</sup>
FETT				FETTMENGE	
TIPO DI GRASSO		GHY72		FETTQUANTITA	(41 g)
TIPO DE GRASA				GRASSO QUANTITA	
				CANTIDAD DE GRASA	
				CANTIDAD DE GRASA	
RE-LUBRICATION FREQUENCY		HOURS	4000 - 4500		
FREQUENCE DE GRAISSE		HEURES	RUNNING HOURS		
FREQUENCE DE INTERVAL		STUNDEN	OR EVERY 6 MONTHS		
NACHSCHMIERUNG FREQUENZA			WHICHEVER IS SOONER		
RIF-LUBRIFICAZIONE FREQUENZA		ORE			
FRECUENCIA DE RELUBRICACION		HORAS			
FRECUENCIA DE RELUBRICACION					



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://mail.asset-trade.de/en>

Ref. No.:

1101-01090840

**Overview and Technical Data:**

## 2x DEUTZ Diesel Power Generators 517KW

### NOT DEFINED



Multiple Makes or Not Defined

Year of Build:

Jan 2000

#### **Description:**

**Used 2x DEUTZ DieselPower Generators DC 500KW & 60Hz for sale.**

**Diesel Generator**

**Engine Model : BF 8M 1015CP**

**Only Run Hours : about 200 hrs each**

---

The 2x DEUTZ DieselPower Generators DC 500KW & 60Hz for sale are high-performance diesel generators that are designed to deliver reliable and efficient power. These generators are powered by the BF 8M 1015CP engine, which is known for its durability, fuel efficiency, and low emissions. The engines have been run for only about 200 hours each, which means they are in excellent condition and ready to be put to work.

## **Technical Data:**

### **Technical Data:**

Control:

CNC

### **Buyer Information:**

Condition:

Normal wear

Available:

Sold

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

Buyers Premium:

18 %


Location:

Korea

### **Images:**
















WARNING  
STARTS  
AUTOMATICALLY





Typ

GM 1015 CP

kW (G)  
517

Code  
D200517

kW (S)

1/min  
1800

kW (W)

Mot.-Nr.

9177079

kW (G) red.

kW (S) red.

°C

25

m 100

DIN ISO 3046 IFN \*

DEUTZ AG

MADE IN GERMANY

DEUTZ®



Mot.-Typ

BF 8M 1015 CP

kW (G)

D 200 C 517

kW (S)

1/min

517

kW (W)

1800

Code


1800



DEUTZ®

DIN 15030 304  
DEUTZ AG







Mot.-Nr.

D 20 G 5 17

Code

D 20 G 5 17

kW (G)

517

1/min

Art.-Typ

DE 8 M 1015 CP

A





POWER PROTECTION BV  
THE NETHERLANDS

INDUCTION COUPLING

Type	XQ-XGA 2/12	IP	21	IM	1101	IEC	34-1 (1994)	Insul. Class	F
Machine No	27805649-05	Design No	X0053	Year of Manuf.	2006				
<b>ACCELERATION WINDING</b>									
3 ~ 80 Hz 480 V 9,5A									
Power Factor	0,75	ART NO	8832520	BRAKE	WINDING				
Duty	S1			Max. Current	230 A (DC)				
No. of Poles	2			Max. Torque	5800 Nm				
Speed inner rotor	5280 1/min			Duty	5%				
inertia moment of inertia	45 kgm <sup>2</sup> (J)			No. of Poles	12				
Speed outer rotor	1800 1/min			Speed outer rotor	1800 1/min				
Mass	2800 kg			Mass	2800 kg				

Lubrication of bearings: Refer to lubrication instructions

READY TO SHIP

ORDER NUMBER: 329

DATE:

03-12-18

TO BE REMOVED BY CUSTOMER ONLY - ALLEEN DOOR







UL 1446 Info.

**STAMFORD**

UL File: OBJY2 E187789

Designation: H: UL1446

Factory ID Code: RO/CR

AUD03046-B

**STAM**

S/N C19B056135 MODEL HC1534F2 DUTY

PF	8	CONNECTION	S STAR
EXC V	44	PHASE	3
EXC A	2.6	INS CLASS	H
WDG	14	IP	IP23
ALT. m	1000	kg	1694

VVA  
MW  
V  
A  
Hz  
RPM  
AMB  
TEM  
TL

CE

IEC 60034-1 ISO 8528-3 MG 1-32 BS 5000-3  
stamford-avk.com



DIESEL ENGINE



OIL



COOLING WATER



OPERATION HOURS



OIL





C19B056135

BEARING TYPE		DE	LA	STAMFORD®	
TYPE DE PALIER	LAGERGROESSE				AC GENERATORS
TIPO DI CUSCINETTO	TIPO DE COJINETE	6220	C3		
GREASE TYPE		KLUBER		GREASE QUANTITY	
TYPE DE GRAISSE		ASONIC		QUANTITÉ DE GRAISSE	46 cm <sup>3</sup>
FETT		GHY72		FETTMENGE	(41 g)
TIPO DI GRASSO				GRASSO QUANTITA	
TIPO DE GRASA				CANTIDAD DE GRASA	
RE-LUBRICATION FREQUENCY				HOURS	4000 - 4500
FREQUENCE DE GRAISSE				HEURES	RUNNING HOURS
FREQUENCE DE INTERVAL				STUNDEN	OR EVERY 6 MONTHS
NACHSCHMIERUNG INTERVAL				ORE	WHICHEVER IS SOONER
FREQUENZA RELUBRIFICAZIONE				HORAS	
RIF-LUBRIFICACION					
FRECUENCIA DE RELUBRICACION					



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://mail.asset-trade.de/en>

Generated on 16.02.2026

© Copyright 2026 - [Asset-Trade](#)

Page