

Image not found or type unknown



Ref. No.:  
1101-01090840

### **Overview and Technical Data:**

**2x DEUTZ Diesel Power Generators 517KW**

**NOT DEFINED**



Multiple Makes or Not Defined

Year of Build:  
Jan 2000

### **Description:**

**Used 2x DEUTZ Diesel Power Generators DC 500KW & 60Hz for sale.**

**Diesel Generator**

**Engine Model : BF 8M 1015CP**

**Only Run Hours : about 200 hrs each**

---

The 2x DEUTZ DieselPower Generators DC 500KW & 60Hz for sale are high-performance diesel generators that are designed to deliver reliable and efficient power. These generators are powered by the BF 8M 1015CP engine, which is known for its durability, fuel efficiency, and low emissions. The engines have been run for only about 200 hours each, which means they are in excellent condition and ready to be put to work.

### **Technical Data:**

### **Technical Data:**

Control:

[CNC](#)

### **Buyer Information:**

Condition:

[Normal wear](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)


Location:

Korea

### **Images:**













UNINTERRUPTIBLE POWER SUPPLY CE

**1**  
**PGM**

Power Rating Module	22750A
Model	300
Rated Power	300 kVA
System Voltage	380/400 V
Frequency	50 Hz
Power Factor	1.0
PGM Voltage	380 V
PGM Mass	8500 kg

Hitec Power Protection by - The Netherlands

**WARNING**  
INSTALLATION STARTS  
AUTOMATICALLY

**NO OPEN FLAME**



Typ

8M 1015 CP

Code

D20C517

Mot.-Nr.

9177079

kW (G)  
517

kW (S)

1/min

1800

kW (W)

±°/Vorhub (mm)  
14,0 / -

kW(G)red.

kW(S)red.

°C

25

m

100



DIN/ISO 3046 IFN\*  
DEUTZ AG

MADE IN GERMANY



Mot.-Typ

BF8M 1015 CP

Code

D20C517

kW (G)

517

kW (S)

1/min

1800

kW (W)




DIN/ISO 304

DEUTZ AG

MADE







Mot.-Typ

BF8M 1015 / CP

kW (G)

517

Code

D20C517

kW (S)

1/min

Mot.-Nr.

9177079

4°/Vorhub (mm)





POWER PROTECTION BV  
THE NETHERLANDS



INDUCTION COUPLING


Type	XQ-XGA 2/12	IP 21	IM 1101	IEC 34-1 (1994)	Insul. Class F
Machine No.	27805649-05	Design No.	X0093	Year of Manuf.	2006
<b>ACCELERATION WINDING</b>		ART NO 8832520			
3 ~ 60 Hz	480 V 9,5A				
Power Factor	0,75				
Duty	S1				
No. of Poles	2				
Speed inner rotor	5280 1/min				
Mass moment of inertia	45 kgm <sup>2</sup> (J)				
		<b>BRAKE WINDING</b>			
		Max. Current		230 A (DC)	
		Max. Torque		5800 Nm	
		Duty		S1	
		No. of Poles		12	
		Speed outer rotor		1800 1/min	
		Mass		2800 kg	

Lubrication of bearings: Refer to lubrication instructions

READY TO SHIP

ORDER NUMBER: 320

DATE: 03-12-18



TO BE REMOVED BY CUSTOMER ONLY - ALLEEN DO





stamford-avk.com  
SERIAL NO C19609113  
ORDER NO 50786  
FRAME/CORE HC1534F2  
WOG 14





UL 1446 Info:  
**STAMFORD**  
UL File: OBJY2, E167789  
Designation: H: UL1446  
Factory ID Code: RO/CR

AG00048-B

# STAM

S/N	C19B056135	MODEL	HC1534F2	DUTY	
				kVA	
PF	B	CONNECTION	S STAR	kW	
EXC V	44	PHASE	3	V	
EXC A	2.6	INS CLASS	H	A	
WDG	14	IP	IP23	Hz	
ALT m	1000	kg	1694	RPM	
				AMP	
				TEM	
				TL	

CE

IEC 60034-1 ISO 8528-3 MG 1-32 BS 5000-3  
stamford-avk.com



DIESEL ENGINE



OIL



COOLING WATER



OPERATION HOURS



OIL





C198056135

450-15525F

# STAMFORD

AC GENERATORS

BEARING TYPE DE  
TYPE DE PALIER LA  
LAGERGROESSE  
TIPO DI CUSCINETTO 6220 C3  
TIPO DE COJINETE

GREASE TYPE KLUBER  
TYPE DE GRAISSE ASONIC  
FETT TIPO DI GRASSO GHY72  
TIPO DE GRASA

GREASE QUANTITY  
QUANTITÉ DE GRAISSE 46 cm<sup>3</sup>  
FETTMEANGE (41 g)  
GRASSO QUANTITA  
CANTIDAD DE GRASA

RE-LUBRICATION FREQUENCY HOURS  
FREQUÉNCIE DE GRAISSE HEURES  
NACHSCHMIERUNG INTERVAL STUNDEN  
RIF-LUBRIFICAZIONE FREQUENZA ORE  
FRECUENCIA DE RELUBRICACION HORAS

4000 - 4500  
RUNNING HOURS  
OR EVERY 6 MONTHS,  
WHICHEVER IS SOONER



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://mail.asset-trade.de/en>

Ref. No.:

1101-01090840

**Overview and Technical Data:**

## **2x DEUTZ Diesel Power Generators 517KW**

**NOT DEFINED**



Multiple Makes or Not Defined

Year of Build:

Jan 2000

### **Description:**

**Used 2x DEUTZ Diesel Power Generators DC 500KW & 60Hz for sale.**

**Diesel Generator**

**Engine Model : BF 8M 1015CP**

**Only Run Hours : about 200 hrs each**

---

The 2x DEUTZ Diesel Power Generators DC 500KW & 60Hz for sale are high-performance diesel generators that are designed to deliver reliable and efficient power. These generators are powered by the BF 8M 1015CP engine, which is known for its durability, fuel efficiency, and low emissions. The engines have been run for only about 200 hours each, which means they are in excellent condition and ready to be put to work.

## **Technical Data:**

## **Technical Data:**

Control:

[CNC](#)

## **Buyer Information:**

Condition:

[Normal wear](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)


Location:

Korea

## **Images:**













UNINTERRUPTIBLE POWER SUPPLY CE

**1**  
**PGM**

Power Rating Module	22750A
Phase	3PH
Rated Power	400 kVA
System Voltage	380/400 V
Frequency	50 Hz
Power Factor	1.0
PGM Voltage	380 V
PGM Mass	8500 kg

Hitec Power Protection by - The Netherlands

**WARNING**  
INSTALLATION STARTS  
AUTOMATICALLY

**NO OPEN FLAME**



Typ

8M 1015 CP

Code

D20C517

Mot.-Nr.

9177079

kW (G)  
517

kW (S)

1/min

1800

kW (W)

14,0 /

°/Vorhub (mm)

kW (G)red.

kW (S)red.

°C

25

m

100



DIN/ISO 3046 IFN\*

DEUTZ AG MADE IN GERMANY



Mot.-Typ

BF8M 1015 CP

Code

D20C517

kW (G)

517

kW (S)

1/min

1800

kW (W)




DIN/ISO 304

DEUTZ AG

MADE







Mot.-Typ

BF8M 1015 / CP

kW (G)

517

Code

D20C517

kW (S)

1/min

Mot.-Nr.

9177079

4°/Vorhub (mm)





POWER PROTECTION BV  
THE NETHERLANDS



INDUCTION COUPLING

Type	XQ-XGA 2/12	IP 21	IM 1101	IEC 34-1 (1994)	Insul. Class F
Machine No.	27805649-05	Design No.	X0093	Year of Manuf.	2006
ACCELERATION WINDING			BRAKE WINDING		
3 ~ 60 Hz	480 V	9,5A	Max. Current	230 A (DC)	
Power Factor	0,75		Max. Torque	5800 Nm	
Duty	S1		Duty	S1	
No. of Poles	2		No. of Poles	12	
Speed inner rotor	5280 1/min		Speed outer rotor	1800 1/min	
Mass moment of inertia	45 kgm <sup>2</sup> (J)		Mass	2800 kg	

Lubrication of bearings: Refer to lubrication instructions

BEARING  
Bearing ty  
Bearing ty  
Lubricati  
Use only:  
Quantity:  
Bearing ty  
Bearing ty  
Lubricati  
Use only  
Quantity

**READY TO SHIP**

ORDER NUMBER: 320  
DATE: 03-12-18

TO BE REMOVED BY CUSTOMER ONLY - ALLEEN DO





stamford-avk.com  
SERIAL NO C19609135  
ORDER NO 50786  
FRAME/CORE HC1534F2  
WOG 14





UL 1446 Info:  
**STAMFORD**  
UL File: OBJY2, E167789  
Designation: H: UL1446  
Factory ID Code: RO/CR

AG00048-B

# STAM

S/N	C19B056135	MODEL	HC1534F2	DUTY	
				kVA	
PF	B	CONNECTION	S STAR	kW	
EXC V	44	PHASE	3	V	
EXC A	2.6	INS CLASS	H	A	
WDG	14	IP	IP23	Hz	
ALT m	1000	kg	1694	RPM	
				AMP	
				TEM	
				TL	

CE

IEC 60034-1 ISO 8528-3 MG 1-32 BS 5000-3  
stamford-avk.com



DIESEL ENGINE



OIL



COOLING WATER



OPERATION HOURS



OIL





C198056135

450-15525F

# STAMFORD

AC GENERATORS

BEARING TYPE DE  
TYPE DE PALIER LA  
LAGERGROESSE  
TIPO DI CUSCINETTO  
TIPO DE COJINETE

6220 C3

GREASE TYPE  
TYPE DE GRAISSE  
FETT  
TIPO DI GRASSO  
TIPO DE GRASA

KLUBER  
ASONIC  
GHY72

GREASE QUANTITY  
QUANTITÉ DE GRAISSE 46 cm<sup>3</sup>  
FETTMEANGE (41 g)  
GRASSO QUANTITÀ  
CANTIDAD DE GRASA

RE-LUBRICATION FREQUENCY HOURS  
FREQUÉNCIE DE GRAISSE HEURES  
NACHSCHMIERUNG INTERVAL STUNDEN  
RIF-LUBRIFICAZIONE FREQUENZA ORE  
FRECUENCIA DE RELUBRICACION HORAS

4000 - 4500  
RUNNING HOURS  
OR EVERY 6 MONTHS,  
WHICHEVER IS SOONER



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://mail.asset-trade.de/en>

Generated on 12.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page