

Image not found or type unknown



Ref. No.:

1411-03211230

Overview and Technical Data:

TOYODA FA 800 S - Horizontal machining center

[TOYODA](#)



TOYODA

Year of Build:

Aug 2008

Description:

Used TOYODA FA800S Horizontal machine Center

- CNC Controls: Fanuc i31
- Spindel hours: 5178

Technical Details:

Work area:

- Axis stroke X (table): 1,350 mm
- Axis stroke Y (spindle head): 1,150 mm
- Axis stroke Z (column): 1,150 mm
- Workpiece (swing diameter x height): Ø 1,600 x 1,300 mm
- Rapid Travel 1~24,000 mm/min

Pallet changer and table:

- Number of pallets: 2x
- Dimensions: 800 x 800 mm
- Indexing angle: NC-table: 0.001°
- Indexing time, 0–90°: 5.0s
- Pallet height from floor: 1,300mm
- Max. load on pallet: 2.500kg
- Pallet change time: 40s

Automatic tool changer

- Tool holding capacity :
- Max. tool weight: 35 kg
- Max. tool dimensions (Ø x length): Ø 120 x 800 mm
- Tool changing time, tool to tool: 2.0 s
- Tool changing time, chip to chip

Spindle

- Spindle speed (min-1): 6,000 min

The FA800S is a high performance horizontal machining center with a direct drive spindle with 6,000 rpm, optional gear head spindle with 6,000 rpm or a spindle with 15,000 rpm and a fast feed rate of 24 m/min. The robust column and bed of the machine, the box guides and the large workpiece rotation diameter allow powerful machining with high accuracy.

Toyoda has a competitive advantage with the lowest total cost of ownership and excellent product support. Toyoda's component quality and energy-efficient design enable our machine tools to typically consume less power than other machines in their class. In addition, the cutting performance of the other machines is surpassed.

Technical Data:

Technical Data:

Control:

[Series 30i](#)

Spindle Hours:

5.178 hrs.

Spindle Speed:

6.000 rpm

Tool Holder:

[BT50](#)

Travels:

X-Axis:

1.350 mm

Y-Axis:

1.150mm

Z-Axis:

1.150 mm

Dimensions and Weight:

Height:

3.750 mm

Width:

4.225 mm

Length:

7.400 mm

Weight:

21.000 kg

Buyer Information:

Condition:

[Very good condition](#)

Availability:

[On Request](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

Images:





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Ref. No.:

1411-03211230

Overview and Technical Data:

TOYODA FA 800 S - Horizontal machining center

[TOYODA](#)

A large graphic featuring the letters 'TOY' in a bold, white, sans-serif font. The letters are set against a solid red background that has rounded corners on the top-left and bottom-right. The 'T' is on the left, the 'O' is in the middle, and the 'Y' is partially visible on the right edge.

Year of Build:
Aug 2008

Description:

Used TOYODA FA800S Horizontal machine Center

- CNC Controls: Fanuc i31
- Spindel hours: 5178

Technical Details:

Work area:

- Axis stroke X (table): 1,350 mm
- Axis stroke Y (spindle head): 1,150 mm
- Axis stroke Z (column): 1,150 mm
- Workpiece (swing diameter x height): Ø 1,600 x 1,300 mm
- Rapid Travel 1~24,000 mm/min

Pallet changer and table:

- Number of pallets: 2x
- Dimensions: 800 x 800 mm
- Indexing angle: NC-table: 0.001°
- Indexing time, 0–90°: 5.0s
- Pallet height from floor: 1,300mm
- Max. load on pallet: 2.500kg
- Pallet change time: 40s

Automatic tool changer

- Tool holding capacity :
- Max. tool weight: 35 kg
- Max. tool dimensions (Ø x length): Ø 120 x 800 mm
- Tool changing time, tool to tool: 2.0 s
- Tool changing time, chip to chip

Spindle

- Spindle speed (min-1): 6,000 min

The FA800S is a high performance horizontal machining center with a direct drive spindle with 6,000 rpm, optional gear head spindle with 6,000 rpm or a spindle with 15,000 rpm and a fast feed rate of 24 m/min. The robust column and bed of the machine, the box guides and the large workpiece rotation diameter allow powerful machining with high accuracy.

Toyoda has a competitive advantage with the lowest total cost of ownership and excellent product support. Toyoda's component quality and energy-efficient design enable our machine tools to typically consume less power than other machines in their class. In addition, the cutting performance of the other machines is surpassed.

Technical Data:

Technical Data:

Control:

[Series 30i](#)

Spindle Hours:

5.178 hrs.
Spindle Speed:
6.000 rpm
Tool Holder:
[BT50](#)

Travels:

X-Axis:
1.350 mm
Y-Axis:
1.150mm
Z-Axis:
1.150 mm

Dimensions and Weight:

Height:
3.750 mm
Width:
4.225 mm
Length:
7.400 mm
Weight:
21.000 kg

Buyer Information:

Condition:
[Very good condition](#)
Availability:
[On Request](#)
Sold as:
[EXW \(Ex Works - Incoterm\)](#)
VAT:
[19 %](#)
Buyers Premium:
[18 %](#)
Location:
Germany

Images:





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Generated on 17.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page