

Image not found or type unknown



Ref. No.:

1411-03211900

Overview and Technical Data:

TOYODA FA 630 S - Horizontal machining center

[TOYODA](#)



TOYODA

Year of Build:

Jul 2008

Description:

Used TOYODA FA 630 S - Horizontal machining center

- CNC Control Fanuc 31i
- Spindel hours: 5178

Technical Details:

- Travels :
 - X axis: 1000 mm
 - Y axis: 800 mm
 - Z axis: 850 mm
 - Rapid traverse rate: 60m/min
- Pallet changer and table
 - Number of pallets: 2x
 - Dimensions: 630 x 630 mm
 - Indexing angle: NC-table: 0.001°
 - Max. load on pallet: 800 kg
- Spindle speed: 15,000min-1
- Automatic tool changer
 - Tool holding capacity: 50x
 - Max. tool weight 8kg
 - Max. tool length 470 mm
 - Max. tool diameter Ø75 mm (if not restricted by neighboring tools)

Technical Data:

Technical Data:

Control:

[Series 30i](#)

Spindle Hours:

5.178 hrs.

Spindle Speed:

15.000 rpm

Tool Holder:

[BT50](#)

Tool Capacity:

50 x

Travels:

X-Axis:

1.000 mm

Y-Axis:

800mm

Z-Axis:

850 mm

Dimensions and Weight:

Height:

3.108 mm

Width:

3.308 mm

Length:

6.020 mm

Weight:

18.000 kg

Buyer Information:

Condition:

[Very good condition](#)

Availability:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

Images:











51

OP 30



Large blue stylized characters, possibly 'A' and 'B', are visible on the left side of the grey metal panel.


















FANUC Series 31-MODEL A

00000 N00000
-0.172
454.369
950.717
180.001

NO.	UNIT	MODE
001	G17	
002	G21	
003	G54	
004	G90	
005	M03	
006	S000	
007	T000	
008	M08	
009	M09	
010	M30	

Green indicator light
Yellow indicator lights

Q W E R T Y U I O P
A S D F G H J K L
Z X C V B N M

Function buttons: Home, Jog, Feed, Rapid, etc.
X Y Z 4
+ - X0.1

OVERRIDE
FEED HOLD
CYCLE START

OPERATION MODE
DOOR LOCK
DOOR UNLOCK
CYCLE START
FEED HOLD

Safety warning labels with diagrams and text.

CONTROL

JTEKT COR

MACH. No. NS2886

SUPPLY VOLTAGE AC380

PHASE 3 **FULL**

I.C. OF CIRCUIT BREA

SCCR OF CONTROL PAN

POWER SUPPLY CAPAC

AMP. OF LARGEST L

MAX. BREAKER SIZE

ELECTRICAL DIAGRAM

DATE 07-2008

1-1, Asahimachi, K

Überprüfung der ortsfeste
DIN VDE 0113, DGUV Vor

ESM

JTEK

TYPE F333 M

MACH. No. 11328 D

JTEKT CORPO

KARIYA JA



KNOX

.It works

Typ
Type
type

480 S-1/40

Auftrags-Nr.

Order no.
No de commande

20082938

Referenz-Nr.

Referen. no.
No. référence.

Serien-Nr.

Serial no.
No. de série

409843

Baujahr

Year of constr.
Année de constr.

2009

FRIGIDAIRE
SCHNEIDER
FRIGIDAIRE





KNOLL

.It works

VRF 45

200814

Referenz-Nr.

Serien-Nr.

369484

Baujahr

2008

KNOLL Maschinenbau GmbH
Schwarzachstraße 20
D-88348 Bad Saulgau



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Ref. No.:

1411-03211900

Overview and Technical Data:

TOYODA FA 630 S - Horizontal machining center

[TOYODA](#)

A large graphic featuring the letters 'TOY' in a bold, white, sans-serif font. The letters are set against a vibrant red background that has rounded corners and a white, rounded rectangular shape at the bottom left, resembling a speech bubble or a stylized 'L' shape. The 'Y' is partially cut off on the right side.

Year of Build:
Jul 2008

Description:

Used TOYODA FA 630 S - Horizontal machining center

- CNC Control Fanuc 31i
- Spindel hours: 5178

Technical Details:

- Travels :
 - X axis: 1000 mm
 - Y axis: 800 mm
 - Z axis: 850 mm
 - Rapid traverse rate: 60m/min
- Pallet changer and table
 - Number of pallets: 2x
 - Dimensions: 630 x 630 mm
 - Indexing angle: NC-table: 0.001°
 - Max. load on pallet: 800 kg
- Spindle speed: 15,000min-1
- Automatic tool changer
 - Tool holding capacity: 50x
 - Max. tool weight 8kg
 - Max. tool length 470 mm
 - Max. tool diameter Ø75 mm (if not restricted by neighboring tools)

Technical Data:

Technical Data:

Control:

[Series 30i](#)

Spindle Hours:

5.178 hrs.

Spindle Speed:

15.000 rpm

Tool Holder:

[BT50](#)

Tool Capacity:

50 x

Travels:

X-Axis:

1.000 mm

Y-Axis:

800mm

Z-Axis:

850 mm

Dimensions and Weight:

Height:

3.108 mm

Width:

3.308 mm

Length:
6.020 mm
Weight:
18.000 kg

Buyer Information:

Condition:
[Very good condition](#)
Availability:
[Sold](#)
Sold as:
[EXW \(Ex Works - Incoterm\)](#)
VAT:
[19 %](#)
Buyers Premium:
[18 %](#)
Location:
Germany

Images:











51

OP 30



Large blue stylized characters, possibly 'A' and 'B', are visible on the left side of the grey metal panel.


















FANUC Series 31-MODEL A

00000 N00000
-0.172
454.369
950.717
180.001

NO.	UNIT	MODE
001	G01	
002	G02	
003	G03	
004	G04	
005	G08	
006	G10	
007	G11	
008	G12	
009	G13	
010	G14	
011	G15	
012	G16	
013	G17	
014	G18	
015	G19	
016	G20	
017	G21	
018	G22	
019	G23	
020	G24	
021	G25	
022	G26	
023	G27	
024	G28	
025	G29	
026	G30	
027	G31	
028	G32	
029	G33	
030	G34	
031	G35	
032	G36	
033	G37	
034	G38	
035	G39	
036	G40	
037	G41	
038	G42	
039	G43	
040	G44	
041	G45	
042	G46	
043	G47	
044	G48	
045	G49	
046	G50	
047	G51	
048	G52	
049	G53	
050	G54	
051	G55	
052	G56	
053	G57	
054	G58	
055	G59	
056	G60	
057	G61	
058	G62	
059	G63	
060	G64	
061	G65	
062	G66	
063	G67	
064	G68	
065	G69	
066	G70	
067	G71	
068	G72	
069	G73	
070	G74	
071	G75	
072	G76	
073	G77	
074	G78	
075	G79	
076	G80	
077	G81	
078	G82	
079	G83	
080	G84	
081	G85	
082	G86	
083	G87	
084	G88	
085	G89	
086	G90	
087	G91	
088	G92	
089	G93	
090	G94	
091	G95	
092	G96	
093	G97	
094	G98	
095	G99	
096	G100	
097	G101	
098	G102	
099	G103	
100	G104	
101	G105	
102	G106	
103	G107	
104	G108	
105	G109	
106	G110	
107	G111	
108	G112	
109	G113	
110	G114	
111	G115	
112	G116	
113	G117	
114	G118	
115	G119	
116	G120	
117	G121	
118	G122	
119	G123	
120	G124	
121	G125	
122	G126	
123	G127	
124	G128	
125	G129	
126	G130	
127	G131	
128	G132	
129	G133	
130	G134	
131	G135	
132	G136	
133	G137	
134	G138	
135	G139	
136	G140	
137	G141	
138	G142	
139	G143	
140	G144	
141	G145	
142	G146	
143	G147	
144	G148	
145	G149	
146	G150	
147	G151	
148	G152	
149	G153	
150	G154	
151	G155	
152	G156	
153	G157	
154	G158	
155	G159	
156	G160	
157	G161	
158	G162	
159	G163	
160	G164	
161	G165	
162	G166	
163	G167	
164	G168	
165	G169	
166	G170	
167	G171	
168	G172	
169	G173	
170	G174	
171	G175	
172	G176	
173	G177	
174	G178	
175	G179	
176	G180	
177	G181	
178	G182	
179	G183	
180	G184	
181	G185	
182	G186	
183	G187	
184	G188	
185	G189	
186	G190	
187	G191	
188	G192	
189	G193	
190	G194	
191	G195	
192	G196	
193	G197	
194	G198	
195	G199	
196	G200	
197	G201	
198	G202	
199	G203	
200	G204	
201	G205	
202	G206	
203	G207	
204	G208	
205	G209	
206	G210	
207	G211	
208	G212	
209	G213	
210	G214	
211	G215	
212	G216	
213	G217	
214	G218	
215	G219	
216	G220	
217	G221	
218	G222	
219	G223	
220	G224	
221	G225	
222	G226	
223	G227	
224	G228	
225	G229	
226	G230	
227	G231	
228	G232	
229	G233	
230	G234	
231	G235	
232	G236	
233	G237	
234	G238	
235	G239	
236	G240	
237	G241	
238	G242	
239	G243	
240	G244	
241	G245	
242	G246	
243	G247	
244	G248	
245	G249	
246	G250	
247	G251	
248	G252	
249	G253	
250	G254	
251	G255	
252	G256	
253	G257	
254	G258	
255	G259	
256	G260	
257	G261	
258	G262	
259	G263	
260	G264	
261	G265	
262	G266	
263	G267	
264	G268	
265	G269	
266	G270	
267	G271	
268	G272	
269	G273	
270	G274	
271	G275	
272	G276	
273	G277	
274	G278	
275	G279	
276	G280	
277	G281	
278	G282	
279	G283	
280	G284	
281	G285	
282	G286	
283	G287	
284	G288	
285	G289	
286	G290	
287	G291	
288	G292	
289	G293	
290	G294	
291	G295	
292	G296	
293	G297	
294	G298	
295	G299	
296	G300	
297	G301	
298	G302	
299	G303	
300	G304	
301	G305	
302	G306	
303	G307	
304	G308	
305	G309	
306	G310	
307	G311	
308	G312	
309	G313	
310	G314	
311	G315	
312	G316	
313	G317	
314	G318	
315	G319	
316	G320	
317	G321	
318	G322	
319	G323	
320	G324	
321	G325	
322	G326	
323	G327	
324	G328	
325	G329	
326	G330	
327	G331	
328	G332	
329	G333	
330	G334	
331	G335	
332	G336	
333	G337	
334	G338	
335	G339	
336	G340	
337	G341	
338	G342	
339	G343	
340	G344	
341	G345	
342	G346	
343	G347	
344	G348	
345	G349	
346	G350	
347	G351	
348	G352	
349	G353	
350	G354	
351	G355	
352	G356	
353	G357	
354	G358	
355	G359	
356	G360	
357	G361	
358	G362	
359	G363	
360	G364	
361	G365	
362	G366	
363	G367	
364	G368	
365	G369	
366	G370	
367	G371	
368	G372	
369	G373	
370	G374	
371	G375	
372	G376	
373	G377	
374	G378	
375	G379	
376	G380	
377	G381	
378	G382	
379	G383	
380	G384	
381	G385	
382	G386	
383	G387	
384	G388	
385	G389	
386	G390	
387	G391	
388	G392	
389	G393	
390	G394	
391	G395	
392	G396	
393	G397	
394	G398	
395	G399	
396	G400	
397	G401	
398	G402	
399	G403	
400	G404	
401	G405	
402	G406	
403	G407	
404	G408	
405	G409	
406	G410	
407	G411	
408	G412	
409	G413	
410	G414	
411	G415	
412	G416	
413	G417	
414	G418	
415	G419	
416	G420	
417	G421	
418	G422	
419	G423	
420	G424	
421	G425	
422	G426	
423	G427	
424	G428	
425	G429	
426	G430	
427	G431	
428	G432	
429	G433	
430	G434	
431	G435	
432	G436	
433	G437	
434	G438	
435	G439	
436	G440	
437	G441	
438	G442	
439	G443	
440	G444	
441	G445	
442	G446	
443	G447	
444	G448	
445	G449	
446	G450	
447	G451	
448	G452	
449	G453	
450	G454	
451	G455	
452	G456	
453	G457	
454	G458	
455	G459	
456	G460	
457	G461	
458	G462	
459	G463	
460	G464	
461	G465	
462	G466	
463	G467	
464	G468	
465	G469	
466	G470	
467	G471	
468	G472	
469	G473	
470	G474	
471	G475	
472	G476	
473	G477	
474	G478	
475	G479	
476	G480	
477	G481	
478	G482	
479	G483	
480	G484	
481	G485	
482	G486	
483	G487	
484	G488	
485	G489	
486	G490	
487	G491	
488	G492	
489	G493	
490	G494	
491	G495	
492	G496	
493	G497	
494	G498	
495	G499	
496	G500	
497	G501	
498	G502	
499	G503	
500	G504	
501	G505	
502	G506	
503	G507	

CONTROL

JTEKT COR

MACH. No. NS2886

SUPPLY VOLTAGE AC380

PHASE 3 **FULL**

I.C. OF CIRCUIT BREA

SCCR OF CONTROL PAN

POWER SUPPLY CAPACI

AMP. OF LARGEST L

MAX. BREAKER SIZE

ELECTRICAL DIAGRAM

DATE 07-2008

1-1, Asahimachi, K

Überprüfung der ortsfeste
DIN VDE 0113, DGUV Vor

ESM

JTEK

TYPE F333 M

MACH. No. 11328 D

JTEKT CORPO

KARIYA JA



KNOX

.It works

Typ
Type
type

480 S-1/40

Auftrags-Nr.

Order no.
No de commande

20082938

Referenz-Nr.

Referen. no.
No. référence.

Serien-Nr.

Serial no.
No. de série

409843

Baujahr

Year of constr.
Année de constr.

2009

KNOX AG
Schweizerstrasse 20
8500 Olten, Schweiz





KNOLL

.It works

VRF 45

200814

Referenz-Nr.

Serien-Nr.

369484

Baujahr

2008

KNOLL Maschinenbau GmbH
Schwarzachstraße 20
D-88348 Bad Saulgau



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Generated on 10.06.2026

© Copyright 2026 - [Asset-Trade](#)

Page