

Image not found or type unknown



Ref. No.:
1413-03300818

Overview and Technical Data:

MITUTOYO CHN1612-30 Gantry CMM

MITUTOYO

Mitutoyo

Year of Build:
May 1994

Description:

Used MITUTOYO CHN1612 Gantry CMM for sale

Last Calibration 10/2020

Technical Data:

Measuring Range:

- X = 3048.00 mm (120.00 in)
- Y = 1219.20 mm (48.00 in)
- Z = 1625.60 mm (64.00 in)

Options are included.

- MCOSMOS software
- Geopak
- CAT1000S
- Laser Probe Support
- STATPAK
- STEP
- Scanning probes
- Part Program Converter

- IGES
 - VDA-FS
 - Automotive Converter
 - CAT1000s in MCOSMO-1 V4.2.R2
 - PH10M plus
 - Taster TP20
 - CMMC-35
 - Probe Interface PI4
 - PHC10-3 plus
-

The unmatched precision of the Mitutoyo Coordinate Measuring Machine solutions help you achieve faster, more accurate inspection and quality assurance. CMMs are suited for up to five-axis measuring and three-dimensional tolerances in a wide array of contact and non-contact applications. For applications like factory intelligence and advanced manufacturing, Mitutoyo coordinate measuring machines integrate seamlessly while delivering the reliable precision you need.

Technical Data:

Technical Data:

Control:

[CNC](#)

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Belgium

Images:



CHN1612

COORDINATE MEASURING MACHINE

Mitutoyo







CHN1612


COORDINATE MEASURING MACHINE

Mitutoyo



CHN1612

Mitutoyo
COORDINATE MEASURING MACHINE







MACHINE SWITCH

LEFT	BACK	RIGHT
X LOCK	Y LOCK	Z LOCK

← R →



↑
Z
↓

R-STOP

M

Handwritten notes on a small piece of paper pinned to the wall.









Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Ref. No.:

1413-03300818

Overview and Technical Data:

MITUTOYO CHN1612-30 Gantry CMM

MITUTOYO

Mitutoyo

Year of Build:
May 1994

Description:

Used MITUTOYO CHN1612 Gantry CMM for sale

Last Calibration 10/2020

Technical Data:

Measuring Range:

- X = 3048.00 mm (120.00 in)
- Y = 1219.20 mm (48.00 in)
- Z = 1625.60 mm (64.00 in)

Options are included.

- MCOSMOS software
- Geopak
- CAT1000S
- Laser Probe Support
- STATPAK
- STEP
- Scanning probes
- Part Program Converter
- IGES
- VDA-FS
- Automotive Converter
- CAT1000s in MCOSMO-1 V4.2.R2
- PH10M plus
- Taster TP20
- CMMC-35
- Probe Interface PI4

- PHC10-3 plus
-

The unmatched precision of the Mitutoyo Coordinate Measuring Machine solutions help you achieve faster, more accurate inspection and quality assurance. CMMs are suited for up to five-axis measuring and three-dimensional tolerances in a wide array of contact and non-contact applications. For applications like factory intelligence and advanced manufacturing, Mitutoyo coordinate measuring machines integrate seamlessly while delivering the reliable precision you need.

Technical Data:

Technical Data:

Control:

[CNC](#)

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Belgium

Images:



CHN1612

COORDINATE MEASURING MACHINE

Mitutoyo







CHN1612


COORDINATE MEASURING MACHINE

Mitutoyo



CHN1612

Mitutoyo
COORDINATE MEASURING MACHINE







MACHINE SWITCH

LEFT	BACK	RIGHT
X LOCK	Y LOCK	Z LOCK

← R →



↑
Z
↓

R-STOP

Handwritten notes on a small white card, possibly a name tag or label, pinned to the wall.









Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Generated on 08.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page