

Image not found or type unknown



Ref. No.:

1413-03300818

Overview and Technical Data:

MITUTOYO CHN1612-30 Gantry CMM

MITUTOYO

Mitutoyo

Year of Build:

May 1994

Description:

Used MITUTOYO CHN1612 Gantry CMM for sale

Last Calibration 10/2020

Technical Data:

Measuring Range:

- X = 3048.00 mm (120.00 in)
- Y = 1219.20 mm (48.00 in)
- Z = 1625.60 mm (64.00 in)

Options are included.

- MCOSMOS software
- Geopak
- CAT1000S
- Laser Probe Support
- STATPAK
- STEP
- Scanning probes
- Part Program Converter

- IGES
 - VDA-FS
 - Automotive Converter
 - CAT1000s in MCOSMO-1 V4.2.R2
 - PH10M plus
 - Taster TP20
 - CMMC-35
 - Probe Interface PI4
 - PHC10-3 plus
-

The unmatched precision of the Mitutoyo Coordinate Measuring Machine solutions help you achieve faster, more accurate inspection and quality assurance. CMMs are suited for up to five-axis measuring and three-dimensional tolerances in a wide array of contact and non-contact applications. For applications like factory intelligence and advanced manufacturing, Mitutoyo coordinate measuring machines integrate seamlessly while delivering the reliable precision you need.

Technical Data:

Technical Data:

Control:

[CNC](#)

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Belgium

Images:



Mitutoyo COORDINATE MEASURING MACHINE CHN1612







Mitutoyo
COORDINATE MEASURING MACHINE
CHN1612







MACHINE SWITCH

LEFT	BACK	RIGHT
X LOCK	Y LOCK	Z LOCK





Public
Access
to
the
Building
is
restricted
to
the
personnel
of
the
Building
and
their
guests
only.
No
other
persons
are
allowed
to
enter
the
Building
without
prior
approval
of
the
Building
Manager.
This
policy
is
in
effect
at
all
times.
Thank
you
for
your
cooperation.
Building
Manager
[Signature]









Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Ref. No.:
1413-03300818

Overview and Technical Data:

MITUTOYO CHN1612-30 Gantry CMM

MITUTOYO



Year of Build:
May 1994

Description:

Used MITUTOYO CHN1612 Gantry CMM for sale

Last Calibration 10/2020

Technical Data:

Measuring Range:

- X = 3048.00 mm (120.00 in)
- Y = 1219.20 mm (48.00 in)
- Z = 1625.60 mm (64.00 in)

Options are included.

- MCOSMOS software
- Geopak
- CAT1000S
- Laser Probe Support
- STATPAK
- STEP
- Scanning probes
- Part Program Converter
- IGES
- VDA-FS
- Automotive Converter
- CAT1000s in MCOSMO-1 V4.2.R2
- PH10M plus
- Taster TP20
- CMMC-35
- Probe Interface PI4

- PHC10-3 plus

The unmatched precision of the Mitutoyo Coordinate Measuring Machine solutions help you achieve faster, more accurate inspection and quality assurance. CMMs are suited for up to five-axis measuring and three-dimensional tolerances in a wide array of contact and non-contact applications. For applications like factory intelligence and advanced manufacturing, Mitutoyo coordinate measuring machines integrate seamlessly while delivering the reliable precision you need.

Technical Data:

Technical Data:

Control:

[CNC](#)

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Belgium

Images:







Mitutoyo
COORDINATE MEASURING MACHINE
CHN1612







MACHINE SWITCH

LEFT	BACK	RIGHT
X LOCK	Y LOCK	Z LOCK





Public
Access
to
the
Building
is
permitted
by
the
Board
of
Directors
of
the
City
of
New
York
City
on
10/1/00









Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Generated on 16.02.2026

© Copyright 2026 - [Asset-Trade](#)

Page