

Image not found or type unknown



Ref. No.:

1443-10171512

Overview and Technical Data:

HELLER MCT 250 CNC Horizontal Machining Center

[HELLER](#)

HELLER

Year of Build:
Jan 2005

Description:

Used HELLER MCT250 double spindle horizontal machining center with A-axis and 2 x B-axis

The used **HELLER MCT 250** is a horizontal machining center with a double spindle that is designed for precise CNC machining. It offers 5 NC axes and a generous work area with a travel of 650 mm in the X, Y and Z axes. With the Siemens 840D CNC control and a new spindle from 2012, the machine offers high performance. Precision machining is supported by fast tool changes and a 2x40-fold tool magazine. Ideal for versatile applications in the machine tool industry.

- CNC control: Siemens 840D
- New spindle in 2012

Technical data:

WORKING AREA:

- Travel
 - X-axis 650 mm
 - Y-axis 650 mm
 - Z-axis 650 mm
 - Number of NC axes 5

TABLE:

- Rotatability 360 °
- Positionability 0.001 ° rotation speed 30 / min swiveling 210 °
- Positionability 0.001 ° rotation speed 10 / min

WORKPIECE / HEAD

- Spindle speed 45 - 18000 / min Kessler
- Spindle diameter 80 mm tool holder
- Drive power (max.) 38 kW
- Spindle power (continuous) 25 kW
- Torque (max.) 132 Nm

The following restrictions apply:

- Maximum permissible weight of the moment absorbed by the gripping tool. 1 000 Ncm
- Maximum permissible tool weight 12 daN
- Fast tool change up to a tool weight of 3 daN

Axis drives

- Feed of 1 mm/min
- Feed speed up to 60000 mm/min
- Rapid traverse speed 60000 mm/min

TOOL MAGAZINE

- Number of tool positions 2x40
- Tool diameter max. 70 mm
- Free adjacent position 163 mm
- Tool length max. 300 mm
- Tool change time 3.2 s

DIMENSIONS / WEIGHTS

- Total weight approx. 16000 kg

Technical Data:

Technical Data:

Control:

[SINUMERIK 840D](#)

Machine Hours:

68.511 hrs.

Spindle Speed:

10.000 rpm

Tool Holder:

[HSK-A63](#)

Tool Capacity:

80 x

Travels:

X-Axis:

650 mm

Y-Axis:

650mm

Z-Axis:

650 mm

Dimensions and Weight:

Height:

4.000 mm

Width:

4.000 mm

Length:

10.000 mm

Weight:

16.000 kg

Buyer Information:

Condition:

[Very good condition](#)

Availability:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Bulgaria

Images:




HELLER
MCT 250





















TS 61



Franz Kessler GmbH
D-88422 Bad Buchau Germany

3~Mot.
IEC 60034
VDE 0530

Typ DMS 100 46 4 FHS/F

01.096976

SN 207 169

IN.: 000.613.725

min⁻¹ 4740 - 18000 / 4740 - 15000 - 18000

kW 25 - 25 / / 36 - 36 - 30

V 350 - 418 / / 360 - 418 - 418

A 60 - 51 / / 79 - 65 - 52

Hz 158 - 608 / / 161 - 510 - 510

cosφ Δ / / Δ

S1 / S6/4096

Isol.Cl. F - Vibr.Cl. S1 Bar. IP 54 IC

IM Einschub J 0.038 kgm² m_{tot} 100 kg

W V A Hz

LCB GEL2442 - 256 Imp/U

Nm V A

-P152

-P152

Hours

068511





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Ref. No.:

1443-10171512

Overview and Technical Data:

HELLER MCT 250 CNC Horizontal Machining Center

HELLER



Year of Build:
Jan 2005

Description:

Used HELLER MCT250 double spindle horizontal machining center with A-axis and 2 x B-axis

The used HELLER MCT 250 is a horizontal machining center with a double spindle that is designed for precise CNC machining. It offers 5 NC axes and a generous work area with a travel of 650 mm in the X, Y and Z axes. With the Siemens 840D CNC control and a new spindle from 2012, the machine offers high performance. Precision machining is supported by fast tool changes and a 2x40-fold tool magazine. Ideal for versatile applications in the machine tool industry.

- CNC control: Siemens 840D
- New spindle in 2012

Technical data:

WORKING AREA:

- Travel
 - X-axis 650 mm
 - Y-axis 650 mm
 - Z-axis 650 mm
 - Number of NC axes 5

TABLE:

- Rotatability 360 °
- Positionability 0.001 ° rotation speed 30 / min swiveling 210 °
- Positionability 0.001 ° rotation speed 10 / min

WORKPIECE / HEAD

- Spindle speed 45 - 18000 / min Kessler
- Spindle diameter 80 mm tool holder
- Drive power (max.) 38 kW
- Spindle power (continuous) 25 kW
- Torque (max.) 132 Nm

The following restrictions apply:

- Maximum permissible weight of the moment absorbed by the gripping tool. 1 000 Ncm
- Maximum permissible tool weight 12 daN
- Fast tool change up to a tool weight of 3 daN

Axis drives

- Feed of 1 mm/min
- Feed speed up to 60000 mm/min
- Rapid traverse speed 60000 mm/min

TOOL MAGAZINE

- Number of tool positions 2x40
- Tool diameter max. 70 mm

- Free adjacent position 163 mm
- Tool length max. 300 mm
- Tool change time 3.2 s

DIMENSIONS / WEIGHTS

- Total weight approx. 16000 kg

Technical Data:

Technical Data:

Control:

[SINUMERIK 840D](#)

Machine Hours:

68.511 hrs.

Spindle Speed:

10.000 rpm

Tool Holder:

[HSK-A63](#)

Tool Capacity:

80 x

Travels:

X-Axis:

650 mm

Y-Axis:

650mm

Z-Axis:

650 mm

Dimensions and Weight:

Height:

4.000 mm

Width:

4.000 mm

Length:

10.000 mm

Weight:

16.000 kg

Buyer Information:

Condition:

[Very good condition](#)

Availability:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

19 %

Buyers Premium:

18 %

Location:

Bulgaria

Images:



HELLE 3

SINUMERIK



ALPHA

ESC	DEL	DEL	DEL	DEL	DEL
A	B	C	D	E	F
G	H	I	J	K	L
M	N	O	P	Q	R
S	T	U	V	W	X
Y	Z	—	7	8	9
←	↑	→	4	5	6
↓	↻	↻	1	2	3
—	—	—	0	—	—

END CLR ALF DEL

Red emergency stop button

X	Y	Z
←	↑	→
↓	↻	↻
—	—	—

Rotary switches for feed rate and spindle speed

Row of control buttons and knobs including power, stop, and various function keys.

20 300 992 511


HELLER
MCT 250





















TS 61



Franz Kessler GmbH
D-88422 Bad Buchau Germany

3~ M1.1.
IEC 60034
VDE 0530

Typ DMS 100 46 4 FHS/F 01.096976

SN 207 169 IN.: 000.613.725

min⁻¹ 4740 - 18000 / 4740 - 15000 - 18000

kW 25 - 25 / / 36 - 36 - 30

V 350 - 418 / / 360 - 418 - 418

A 60 - 51 / / 79 - 65 - 52

Hz 158 - 608 / / 161 - 510 - 510

cosφ Δ / / Δ

S1 / S6/4096

Isol.Cl. F - Vibr.Cl. S1 Bar. IP 54 IC

IM Einschub J 0.038 kgm² m_{tot} 100 kg

W V A Hz

LCB GEL2442 - 256 Imp/U

Nm V A

12
=4

-P152

-P152

Hours

068511





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Generated on 24.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page