

Image not found or type unknown



Ref. No.:
1409-02271223

Overview and Technical Data:

Used AMADA HFE-100-3 Hydraulic press brake

[AMADA](#)



Year of Build:
Jun 2006

Description:

Used AMADA press brake HFE-100-3 for sale – Ideal for precise sheet metal processing!

This hydraulic press brake offers outstanding performance and precision for your metalworking needs. The AMADA HFE-100-3 press brake used comes with an AMADA OP 2000 control and has been carefully maintained to ensure the highest quality and efficiency in your workshop.

- Control - AMADA OP 2000

Technical data:

- Pressing pressure: 100 tons
- Joint length: 3110 mm
- Distance between columns: 2700 mm
- Controlled axes: 7
- Stroke of the mold: 420 mm
- Maximum stroke: max. 200 mm
- Light height: 470 mm

- Noise level: 75 dB
- Weight of the machine: approx. 6.75 tons

The price of the machine includes:

- Complete set of 3-4 complete upper and lower tools worth approx. 25,000
- Amada DIGIPRO angle measuring system

The machine is in daily use and can be tested at any time.

This press brake for sheet metal processing offers excellent metal processing options and is ideal for processing large workpieces with high precision. You can test the hydraulic press for metal processing at any time in our company.

Don't miss this opportunity to purchase a used AMADA press brake in very good condition at an attractive price!

Technical Data:

Technical Data:

Control:

[CNC](#)

Machine Hours:

28138

Dimensions and Weight:

Height:

2.700 mm

Length:

4.210 mm

Width:

2.450 mm

Weight:

6.750 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[On Request](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:
Slovenia

Images:





mm / Mem. HFE V5.02 A 29/01/24


PROGRAM: HFE OZN: DILU: 0

TP	INS	NM	MATRI.	R	RAZNIK	R	HAT.	IO
0	0	0	0	0	0	0	0	0

CHR. DELKA	UHBL	POZ. - POS	SKUT. - POS
555	Y1	-4.90	20.01
	Y2	-4.90	19.95
OZN. DILU	X1	15.05	13.96
	X2	15.05	13.97
OHYB c	R1	0	-0.02
	R2	0	-0.02
CELK. OHYBU	Z1	227.50	227.46
	Z2	227.50	227.43

OPAKOVANI	22	CEKANI ZD (#)	0
KROK	0	ODJEZ ZD (mm)	0
LISOVANI (0/1)	0	ZPUS. ZD 0/1/2	0
LIS. SILA (kN)	75	V OHYBU (mm/s)	1.0
ZP. ZD. (#)	0	Z OHYBU (mm/s)	1.0
POH. FUNKCE	000000	OТВЕРНИ (mm)	2.0
VNJS./VNI (1/0)	1		

125: MOTOR NASTARTOVAT & ZADNI DVERE ZAVRIT
UVOLNIT STROJ



4



5

AMADA

...cativo unicamente/Quick reference only/Nur Cirka-Werte/Valore indicativo unicamente



PLIAGE EN L'AIR
AIR BENDING
FREIES ABKANTEN
PLEGADO EN AIRE

kN/mx10

	6	8	10	12	16	20	25	32	40	50	63	80	100	125	160	200	250	320	400	500	
1	1.3	1.8	2	2.6	3.3	4	5	6.3	8	10	13	16	20	26	33	41	53	65	83	105	
2	4	4																			
3	7	5	4																		
4	11	11	7	6																	
5	16	12	10	8	6																
6	22	17	15	12	9	8															
8	35	28	25	20	15	13															
10	48	38	34	28	21	18	15														
15	72	58	52	42	32	27	21														
20	96	76	68	54	40	33	26														
25	120	96	86	68	50	42	33	26													
30	144	112	100	78	58	48	38	30													
40	192	150	136	104	76	62	48	38	30												
50	240	192	172	136	100	80	60	48	38	30											
60	288	224	200	152	112	90	68	54	42	33											
80	384	304	272	208	152	120	90	70	54	42	33										
100	480	384	344	256	192	150	112	88	66	51	40	30									
125	600	480	430	320	240	188	140	108	80	60	45	33	24								
160	768	608	544	400	304	232	176	136	100	75	56	42	30	22							
200	960	768	688	512	384	296	224	176	136	100	75	56	42	30	22						
250	1200	960	864	640	480	368	280	224	176	136	100	75	56	42	30	22					
300	1440	1152	1024	768	576	448	336	264	208	160	120	90	66	48	36	26					
400	1920	1536	1376	1024	768	576	448	336	264	208	160	120	90	66	48	36	26				
500	2400	1920	1728	1280	960	736	560	448	336	264	208	160	120	90	66	48	36	26			
600	2880	2304	2048	1536	1152	896	672	512	392	312	240	180	135	100	75	56	42	30	22		
800	3840	3072	2752	2048	1536	1152	896	672	512	392	312	240	180	135	100	75	56	42	30	22	
1000	4800	3840	3456	2560	1920	1472	1120	840	640	496	392	312	240	180	135	100	75	56	42	30	22



**Zariadenie smie
 obsluhovať
 len poverený
 pracovník**



**Čisti - opravuj
 - nastavuj**





7



8









Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Ref. No.:
1409-02271223

Overview and Technical Data:

Used AMADA HFE-100-3 Hydraulic press brake



Year of Build:
Jun 2006

Description:

Used AMADA press brake HFE-100-3 for sale – Ideal for precise sheet metal processing!

This hydraulic press brake offers outstanding performance and precision for your metalworking needs. The AMADA HFE-100-3 press brake used comes with an AMADA OP 2000 control and has been carefully maintained to ensure the highest quality and efficiency in your workshop.

- Control - AMADA OP 2000

Technical data:

- Pressing pressure: 100 tons
- Joint length: 3110 mm
- Distance between columns: 2700 mm
- Controlled axes: 7
- Stroke of the mold: 420 mm
- Maximum stroke: max. 200 mm
- Light height: 470 mm
- Noise level: 75 dB
- Weight of the machine: approx. 6.75 tons

The price of the machine includes:

- Complete set of 3-4 complete upper and lower tools worth approx. 25,000
- Amada DIGIPRO angle measuring system

The machine is in daily use and can be tested at any time.

This press brake for sheet metal processing offers excellent metal processing options and is ideal for processing large workpieces with high precision. You can test the hydraulic press for metal processing at any

time in our company.

Don't miss this opportunity to purchase a used AMADA press brake in very good condition at an attractive price!

Technical Data:

Technical Data:

Control:

[CNC](#)

Machine Hours:

28138

Dimensions and Weight:

Height:

2.700 mm

Length:

4.210 mm

Width:

2.450 mm

Weight:

6.750 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[On Request](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Slovenia

Images:



1





mm / Mem. HFE V5.02 A 29/01/24


PROGRAM: HFE OZN: DILU: 0

TP	INS	NM	MATRI.	R	RAZNIK	R	HAT.	IO
0	0	0	0	0	0	0	0	0

CHR. DELKA	UHBL	POZ. - POS	SKUT. - POS
555	Y1	-4.90	20.01
	Y2	-4.90	19.95
OZN. DILU	X1	15.05	13.96
	X2	15.05	13.97
OHYB c	R1	0	-0.02
	R2	0	-0.02
CELK. OHYBU	Z1	227.50	227.46
	Z2	227.50	227.43

OPAKOVANI	22	CEKANI ZD (#)	0
KROK	0	ODJEZ ZD (mm)	0
LISOVANI (0/1)	0	ZPUS. ZD 0/1/2	0
LIS. SILA (kN)	75	V OHYBU (mm/s)	1.0
ZP. ZD. (#)	0	Z OHYBU (mm/s)	1.0
POH. FUNKCE	000000	O TVRENI (mm)	2.0
VNJS/VNI (1/0)	1		

125: MOTOR NASTARTOVAT & ZADNI DVERE ZAVRIT
UVOLNIT STROJ



4



5

AMADA

...cativo unicamente/Quick reference only/Nur Cirka-Werte/Valore indicativo unicamente



PLIAGE EN L'AIR
AIR BENDING
FREIES ABKANTEN
PLEGADO EN AIRE

±Nmm10

	6	8	10	12	16	20	25	32	40	50	63	80	100	125	160	200	250	320	400	500
1	1,3	1,6	2	2,6	3,3	4	5	6,3	8	10	13	16	20	26	33	41	53	65	83	
1,5																				
2																				
2,5																				
3																				
4																				
5																				
6																				
8																				
10																				
12																				
16																				
20																				
25																				
30																				
40																				
50																				
60																				
80																				
100																				
125																				
160																				
200																				
250																				
300																				
400																				
500																				
600																				



Zariadenie smie
obsluhovať
len poverený
pracovník



Čisti - opravuj
- nastavuj





7



8









Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Generated on 11.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page