

Image not found or type unknown



Ref. No.:
1416-04161641

Overview and Technical Data:

Used DMG CTX Beta 1250 TC CNC turning and milling centre

DMG GILDEMEISTER



DMG

Year of Build:
Jan 2014

Description:

Used DMG CTX Beta 1250 TC CNC turning and milling centre

CNC control Siemen Solution Line with ShopTurn

Technical data:

- Working area:
 - Turning length max: 1.250mm
 - Turning diameter max: 470mm
 - distance main spindle to counter spindle (without chuck) : 1.470mm
 - Fast displacement X, Z, Y: 40, 40, 50 m / min
- Turn-mill spindle
 - Spindle speed: 12.000 rpm
 - X-axis travel: 490 (+480/-10)mm
 - Y-axis travel: ± 125mm
 - Z-axis travel: 1.300mm

- Swivel range B-axis : $\pm 120^\circ$ degrees
- Drive power: 22,5kW
- Speed range
 - Main spindle: max. 5,000 min/-1
 - Drive power: 25/34 KW
 - C-axis: 0.001° 2000 rpm
 - B-axis: ± 110 36000 $^\circ/\text{min}$ 0.001°
- Counter spindle right as integrated spindle motor ISM 76 synchronous (instead of tailstock)
 - Drive power: max. 5,000 min/-1
 - Rapid traverse speed Z : 30 m/min
 - Max. bar diameter: 65 mm
- Tool disc magazine
 - Tools: 48 x HSK 63 DIN 69893 (chain)
 - Max. tool diameter / length: 80/300 mm
 - Max. tool weight: 8kg
- Renishaw measuring device
- Oil mist separator 600m³/h
- Coolant 80 bar, 980L, with belt filter, cooler
- Hinged belt chip conveyer
- DMG NetService
- Electrical energy requirement
 - Connected load: 72 KVA
 - Operating voltage: 400 V / 50 Hz

Highlights

- TC expansion stage: counter spindle (optional) and turning/milling spindle for 1250 mm turning length
- Generously dimensioned assemblies (guideway size 45), high stability, long service life
- Powerful turning/milling spindle with torque motor for B-axis as standard
- Linear guides in X- and Z-axis for high machine dynamics
- Disc magazine with 24 tools
- Large, transparent work area with low space requirement
- User-friendly ERGO/ine Control with 19" TFT wide screen, freely assignable DMG SOFTkeys

Technical Data:

Technical Data:

Control:

[SINUMERIK 840D](#)

Machine Hours:

11615.00 hrs.

Spindle Hours:

2474.00 hrs.

Turning length:

1250.00 mm

Turning diameter:

500.00 mm

Spindle Speed:

5000.00 rpm

Tool Holder:

[HSK-A63](#)

Driven Tools:

48.00

Tool Capacity:

48 x

Tailstock:

No

Bezel:

Yes

Dimensions and Weight:

Height:

2067 mm

Length:

5671 mm

Width:

2721 mm

Weight:

8000 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

Images:





Futtermaß Hpt-Spindel
123,289 mm

CTX beta 1250 TC
GILDEMEISTER

A8-07P21



I-15057 Tortona (AL)

Made in Italy

DMG MORI Service: www.dmgmori.com




MURR
ELEKTRONIK




A8-07P21








2618762




2621716














Attention
Aufmerksamkeit unter der
Verletzungsgefahr
It is prohibited to
vertical axis. Risk
It is not allowed to
vertical. Danger
L'attenzione prestare
verticale di pericolo



DMG

SmartKey Info

Operation Mode

Access Level 4

Key Mode 2 - ID: 07095200 - IDA0403 - 1421

MANUELL

700155 M: Spinnar 4: Stellung unter/über/leert

Reset

MS #	Position [mm]
X	842.954
Z	354.800
Y	-93.874

Life/Position
Programme
Nackstunde
Uhrzeit
Datum
Maschine
Beauftragung
Beleuchtung

0:00:00

2572:8

13:19:37

25.04.24

8:23

0:00:00

0:00:00

0:00:00

0:00:00

0:00:00

0:00:00

0:00:00

0:00:00

0:00:00

0:00:00

0:00:00

ATTENTION





200 kg

200 kg

200 kg













HSK63

HSK63

Video:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Ref. No.:
1416-04161641

Overview and Technical Data:

Used DMG CTX Beta 1250 TC CNC turning and milling centre

DMG GILDEMEISTER

The logo for DMG (Daimlerchrysler Machine Tools) is displayed in large, bold, white capital letters on a dark green background. The letters are set within a rounded rectangular frame.

Year of Build:
Jan 2014

Description:

Used DMG CTX Beta 1250 TC CNC turning and milling centre

CNC control Siemen Solution Line with ShopTurn

Technical data:

- Working area:
 - Turning length max: 1.250mm
 - Turning diameter max: 470mm
 - distance main spindle to counter spindle (without chuck) : 1.470mm
 - Fast displacement X, Z, Y: 40, 40, 50 m / min
- Turn-mill spindle
 - Spindle speed: 12.000 rpm
 - X-axis travel: 490 (+480/-10)mm
 - Y-axis travel: ± 125mm
 - Z-axis travel: 1.300mm
 - Swivel range B-axis : ± 120° degrees
 - Drive power: 22,5kW
- Speed range
 - Main spindle: max. 5,000 min/-1
 - Drive power: 25/34 KW
 - C-axis: 0.001 ° 2000 rpm
 - B-axis: ±110 36000 °/min 0.001 °
- Counter spindle right as integrated spindle motor ISM 76 synchronous (instead of tailstock)
 - Drive power: max. 5,000 min/-1
 - Rapid traverse speed Z : 30 m/min
 - Max. bar diameter: 65 mm
- Tool disc magazine
 - Tools: 48 x HSK 63 DIN 69893 (chain)
 - Max. tool diameter / length: 80/300 mm
 - Max. tool weight: 8kg
- Renishaw measuring device
- Oil mist separator 600m³/h
- Coolant 80 bar, 980L, with belt filter, cooler
- Hinged belt chip conveyor
- DMG NetService
- Electrical energy requirement
 - Connected load: 72 KVA
 - Operating voltage: 400 V / 50 Hz

Highlights

- TC expansion stage: counter spindle (optional) and turning/milling spindle for 1250 mm turning length
- Generously dimensioned assemblies (guideway size 45), high stability, long service life
- Powerful turning/milling spindle with torque motor for B-axis as standard
- Linear guides in X- and Z-axis for high machine dynamics
- Disc magazine with 24 tools
- Large, transparent work area with low space requirement
- User-friendly ERGO/ine Control with 19" TFT wide screen, freely assignable DMG SOFTkeys

Technical Data:

Technical Data:

Control:

[SINUMERIK 840D](#)

Machine Hours:

11615.00 hrs.

Spindle Hours:
2474.00 hrs.
Turning length:
1250.00 mm
Turning diameter:
500.00 mm
Spindle Speed:
5000.00 rpm
Tool Holder:
[HSK-A63](#)
Driven Tools:
48.00
Tool Capacity:
48 x
Tailstock:
No
Bezel:
Yes

Dimensions and Weight:

Height:
2067 mm
Length:
5671 mm
Width:
2721 mm
Weight:
8000 kg

Buyer Information:

Condition:
[Very good condition](#)
Available:
[Sold](#)
Sold as:
[EXW \(Ex Works - Incoterm\)](#)
VAT:
[19 %](#)
Buyers Premium:
[18 %](#)
Location:
Germany

Images:





Futtermaß Hpt-Spindel
123,289 mm

CTX beta 1250 TC
GILDEMEISTER

A8-07P21



I-15057 Tortona (AL)

Made in Italy

DMG MORI Service: www.dmgmori.com




MURR
ELEKTRONIK




A8-07P21








2618762




2621716













Attention
Aufmerksamkeit unter der
Verletzungsgefahr
It is prohibited to
vertical axis. Risk
It is not allowed to
vertical. Danger
L'attenzione prestare
verticale di pericolo





200 kg

200 kg

200 kg











HSK63

HSK63

Video:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Generated on 05.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page