

Image not found or type unknown



Ref. No.:

1441-01081630

Overview and Technical Data:

Used MAZAK New Turbo - X510 1.5 KW Laser Cutter

[MAZAK](#)

Year of Build:

May 2001

Description:

Used MAZAK New Turbo - X510 1.5 KW - Cutting machines - Laser

MAZAK New Turbo X510 used - 1.5 kW laser cutting machine for sale

Are you looking for a reliable and powerful laser cutting machine? The used MAZAK New Turbo X510 offers precise CO₂ laser technology with an output of 1.5 kW and is ideal for processing a wide variety of materials.

CNC control: MAZATROL L-32B

On-time 27,833 hrs / total cut 5305 hrs

Technical data of the MAZAK New Turbo - X510:

- Power 1500 KW Panasonic
- Laser type CO?: YB-L 150B 7M
- Metal length 3050 mm
- Metal width 1525 mm
- Maximum thickness 12 mm
- Travel X 3205 mm
- Travel Y 1575 mm
- Travel Z 100 mm
- Maximum workpiece weight 440 kg
- Maximum thickness: structural steel: 12 mm, KO: 6 mm, aluminum: 5 mm

Still Still running and serviced by Primoteq BV

Why buy this MAZAK laser cutting machine?

The used MAZAK laser cutting machine offers an excellent combination of precision, efficiency and reliability. With its high cutting performance, it is ideal for companies looking for a versatile metalworking solution.

Advantages of the MAZAK New Turbo X510:

- Efficient processing of a wide range of metals
- Low operating costs thanks to proven technology
- Maintenance by Primoteq BV – guarantees high reliability
- Still running, ready for inspection

Whether you are buying a laser cutting machine in Germany or are specifically looking for a used MAZAK laser cutting machine – the MAZAK New Turbo X510 is an ideal choice.

Contact us for more information or to arrange a viewing!

Technical Data:

Technical Data:

Control:

[MAZAK](#)

Machine Hours:

27833

Dimensions and Weight:

Weight:

11.900 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Netherlands

Images:





(SUB

POSITION

DISTANCE

X	37.193
Y	649.693
Z	-143.899

X	-2
Y	2
Z	0

MACHINE

REMAIN

X	-3153.058
Y	-873.477
Z	-143.899

X	0
Y	41
Z	0

FEED 870 mm/min

CO

NNo.	2
BNo.	34

PO

AL

AL

TO

289 LUBRICATOR OIL LEVEL

 SEQ. No. SET	 MODAL INFORM	 PROGRAM MONITOR
--	--	---



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Ref. No.:

1441-01081630

Overview and Technical Data:

Used MAZAK New Turbo - X510 1.5 KW Laser Cutter

[MAZAK](#)

Year of Build:
May 2001

Description:

Used MAZAK New Turbo - X510 1.5 KW - Cutting machines - Laser

MAZAK New Turbo X510 used - 1.5 kW laser cutting machine for sale

Are you looking for a reliable and powerful laser cutting machine? The used MAZAK New Turbo X510 offers precise CO₂ laser technology with an output of 1.5 kW and is ideal for processing a wide variety of materials.

CNC control: MAZATROL L-32B

On-time 27,833 hrs / total cut 5305 hrs

Technical data of the MAZAK New Turbo - X510:

- Power 1500 KW Panasonic
- Laser type CO₂: YB-L 150B 7M
- Metal length 3050 mm
- Metal width 1525 mm
- Maximum thickness 12 mm
- Travel X 3205 mm
- Travel Y 1575 mm
- Travel Z 100 mm

- Maximum workpiece weight 440 kg
- Maximum thickness: structural steel: 12 mm, KO: 6 mm, aluminum: 5 mm

Still Still running and serviced by Primoteq BV

Why buy this MAZAK laser cutting machine?

The used MAZAK laser cutting machine offers an excellent combination of precision, efficiency and reliability. With its high cutting performance, it is ideal for companies looking for a versatile metalworking solution.

Advantages of the MAZAK New Turbo X510:

- Efficient processing of a wide range of metals
- Low operating costs thanks to proven technology
- Maintenance by Primoteq BV – guarantees high reliability
- Still running, ready for inspection

Whether you are buying a laser cutting machine in Germany or are specifically looking for a used MAZAK laser cutting machine – the MAZAK New Turbo X510 is an ideal choice.

Contact us for more information or to arrange a viewing!

Technical Data:

Technical Data:

Control:

[MAZAK](#)

Machine Hours:

27833

Dimensions and Weight:

Weight:

11.900 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:
Netherlands

Images:





MAZAK

WARNING **AVERTISSEMENT** **ACHTUNG** **AVVERTENZA**

1. Avoid unnecessary handling with the machine to ensure safety.
2. Know location of each switch before operating.

1. Éviter de faire inutilement des manipulations sur la machine.
2. Connaître la position de chaque interrupteur avant utilisation.

1. Verboten die des Bedienung mit dem Gerät unnötig zu manipulieren.
2. Stellen Sie sich die Position der Schalter vor, bevor Sie die Maschine in Betrieb nehmen.

1. Non toccare senza motivo i comandi mentre la macchina è in funzione.
2. Conoscere la posizione di ogni interruttore prima dell'utilizzo.

MAZATROL

POWER

HIGH VOLT SHUTTER OPEN LASER POWER
LASER LOCK ENABLE LASER HIGH VOLT

SWITCH LASER MANUAL
CLOSE OPEN LOCK DISCHARGE

SEARCH ON
REAR OFF
F.WIND
F.WIND
T. NO. ALM
T. NO. ALM
T. NO. ALM

OVER RIDE POWER
FREQUENCY
SOFT
ASSIST CUT
RAPID
FEED
INCH
MM

Control keypad with alphanumeric keys (O, N, G, P, X, Y, Z, Q, I, J, K, R, M, S, T, L, F, D, H, B) and function keys (HOME, ZERO, etc.).

Large analog dial with 'MAZAK' logo and 'CYCLE START' button.

Emergency stop button (red) and other function buttons.

Emergency stop button (yellow/red).

Row of indicator lights and buttons: WIRE LIGHT, EMERGENCY UNIT, AUTO POWER OFF, ALARM POWER OFF, ON LINE, NON CONTACT SENSOR, PROGRAM EDIT, MACHINE SET UP, PERFORMANCE.

WARNING **AVVERTENZA**

1. Avoid unnecessary handling with the machine to ensure safety.
2. Know location of each switch before operating.

1. Éviter de faire inutilement des manipulations sur la machine.
2. Connaître la position de chaque interrupteur avant utilisation.

1. Verboten die des Bedienung mit dem Gerät unnötig zu manipulieren.
2. Stellen Sie sich die Position der Schalter vor, bevor Sie die Maschine in Betrieb nehmen.

1. Non toccare senza motivo i comandi mentre la macchina è in funzione.
2. Conoscere la posizione di ogni interruttore prima dell'utilizzo.

WARNING **AVVERTENZA**

1. Avoid unnecessary handling with the machine to ensure safety.
2. Know location of each switch before operating.

1. Éviter de faire inutilement des manipulations sur la machine.
2. Connaître la position de chaque interrupteur avant utilisation.

1. Verboten die des Bedienung mit dem Gerät unnötig zu manipulieren.
2. Stellen Sie sich die Position der Schalter vor, bevor Sie die Maschine in Betrieb nehmen.

1. Non toccare senza motivo i comandi mentre la macchina è in funzione.
2. Conoscere la posizione di ogni interruttore prima dell'utilizzo.

touching components while the machine is running.
 2. Know function of each switch before operating.

2. Machete Set sein mit jedem Schalter vertraut, bevor Sie die Maschine in Betrieb nehmen.

2. Connaître la fonction de chaque interrupteur avant utilisation.

2. Conoscere ogni testato utilizzarlo.

MATROL

POWER

HIGH VOLT SHUTTER OPEN LASER POWER

LASER LOCK ENABLE LASER HIGH VOLT

SHUTTER CLOSE OPEN LASER MANUAL DISCHARGE

LASER CONDITION

READY BUSY P.HEAD P.END ? MC ALM ? MC ALM HOLD

CW H.PULSE S.PULSE H.PULSE ASSIST GAS ON LASER ALM

GAP CONTROL STYLUS DOWN X Y Z 4

OVER HIDE POWER GAP FREQUENCY DUTY ASSIST GAS WINDOW

-G +G RAPID FEED WINDOW

CYCLE START

*** FDI-0 *** MNo. 7100 TAPET-0 18:29:31

No.	MNo.	SIZE	COMMENT	MODE (AL)	RAPID	FEED	POWER	FREQUENCY	DUTY	ASSIST GAS
1	000	303	ST100:		40%		80%			
2	7100	303	(NESTING p11				100%			
3	7102	303	(STUK 7102				100%			
4	7103	303	(STUK 7103				100%			
5	7104	303	(STUK 7104				100%			
6	7105	303	(STUK 7105				100%			
7	7106	100	(STUK 7106				100%			
8	7107	100	(STUK 7107				100%			
9	7108	100	(STUK 7108				100%			
10	7109	100	(STUK 7109				100%			
11	7110	100	(STUK 7110				100%			
12	7111	100	(STUK 7111				100%			
13	7112	100	(STUK 7112				100%			
14	7113	100	(STUK 7113				100%			
15	7114	100	(STUK 7114				100%			
16	7115	100	(STUK 7115				100%			
17	7116	100	(STUK 7116				100%			
18	7117	100	(STUK 7117				100%			
19	7118	100	(STUK 7118				100%			
20	7119	100	(STUK 7119				100%			
21	7120	100	(STUK 7120				100%			
22	7121	100	(STUK 7121				100%			
23	7122	100	(STUK 7122				100%			
24	7123	100	(STUK 7123				100%			
25	7124	100	(STUK 7124				100%			
26	7125	100	(STUK 7125				100%			
27	7126	100	(STUK 7126				100%			
28	7127	100	(STUK 7127				100%			
29	7128	100	(STUK 7128				100%			
30	7129	100	(STUK 7129				100%			
31	7130	100	(STUK 7130				100%			
32	7131	100	(STUK 7131				100%			
33	7132	100	(STUK 7132				100%			
34	7133	100	(STUK 7133				100%			
35	7134	100	(STUK 7134				100%			
36	7135	100	(STUK 7135				100%			
37	7136	100	(STUK 7136				100%			
38	7137	100	(STUK 7137				100%			
39	7138	100	(STUK 7138				100%			
40	7139	100	(STUK 7139				100%			
41	7140	100	(STUK 7140				100%			
42	7141	100	(STUK 7141				100%			
43	7142	100	(STUK 7142				100%			
44	7143	100	(STUK 7143				100%			
45	7144	100	(STUK 7144				100%			
46	7145	100	(STUK 7145				100%			
47	7146	100	(STUK 7146				100%			
48	7147	100	(STUK 7147				100%			
49	7148	100	(STUK 7148				100%			
50	7149	100	(STUK 7149				100%			
51	7150	100	(STUK 7150				100%			
52	7151	100	(STUK 7151				100%			
53	7152	100	(STUK 7152				100%			
54	7153	100	(STUK 7153				100%			
55	7154	100	(STUK 7154				100%			
56	7155	100	(STUK 7155				100%			
57	7156	100	(STUK 7156				100%			
58	7157	100	(STUK 7157				100%			
59	7158	100	(STUK 7158				100%			
60	7159	100	(STUK 7159				100%			
61	7160	100	(STUK 7160				100%			
62	7161	100	(STUK 7161				100%			
63	7162	100	(STUK 7162				100%			
64	7163	100	(STUK 7163				100%			
65	7164	100	(STUK 7164				100%			
66	7165	100	(STUK 7165				100%			
67	7166	100	(STUK 7166				100%			
68	7167	100	(STUK 7167				100%			
69	7168	100	(STUK 7168				100%			
70	7169	100	(STUK 7169				100%			
71	7170	100	(STUK 7170				100%			
72	7171	100	(STUK 7171				100%			
73	7172	100	(STUK 7172				100%			
74	7173	100	(STUK 7173				100%			
75	7174	100	(STUK 7174				100%			
76	7175	100	(STUK 7175				100%			
77	7176	100	(STUK 7176				100%			
78	7177	100	(STUK 7177				100%			
79	7178	100	(STUK 7178				100%			
80	7179	100	(STUK 7179				100%			
81	7180	100	(STUK 7180				100%			
82	7181	100	(STUK 7181				100%			
83	7182	100	(STUK 7182				100%			
84	7183	100	(STUK 7183				100%			
85	7184	100	(STUK 7184				100%			
86	7185	100	(STUK 7185				100%			
87	7186	100	(STUK 7186				100%			
88	7187	100	(STUK 7187				100%			
89	7188	100	(STUK 7188				100%			
90	7189	100	(STUK 7189				100%			
91	7190	100	(STUK 7190				100%			
92	7191	100	(STUK 7191				100%			
93	7192	100	(STUK 7192				100%			
94	7193	100	(STUK 7193				100%			
95	7194	100	(STUK 7194				100%			
96	7195	100	(STUK 7195				100%			
97	7196	100	(STUK 7196				100%			
98	7197	100	(STUK 7197				100%			
99	7198	100	(STUK 7198				100%			
100	7199	100	(STUK 7199				100%			
101	7200	100	(STUK 7200				100%			
102	7201	100	(STUK 7201				100%			
103	7202	100	(STUK 7202				100%			
104	7203	100	(STUK 7203				100%			
105	7204	100	(STUK 7204				100%			
106	7205	100	(STUK 7205				100%			
107	7206	100	(STUK 7206				100%			
108	7207	100	(STUK 7207				100%			
109	7208	100	(STUK 7208				100%			
110	7209	100	(STUK 7209				100%			
111	7210	100	(STUK 7210				100%			
112	7211	100	(STUK 7211				100%			
113	7212	100	(STUK 7212				100%			
114	7213	100	(STUK 7213				100%			
115	7214	100	(STUK 7214				100%			
116	7215	100	(STUK 7215				100%			
117	7216	100	(STUK 7216				100%			
118	7217	100	(STUK 7217				100%			
119	7218	100	(STUK 7218				100%			
120	7219	100	(STUK 7219				100%			
121	7220	100	(STUK 7220				100%			
122	7221	100	(STUK 7221				100%			
123	7222	100	(STUK 7222				100%			
124	7223	100	(STUK 7223				100%			
125	7224	100	(STUK 7224				100%			
126	7225	100	(STUK 7225				100%			
127	7226	100	(STUK 7226				100%			
128	7227	100	(STUK 7227				100%			
129	7228	100	(STUK 7228				100%			
130	7229	100	(STUK 7229				100%			
131	7230	100	(STUK 7230				100%			
132	7231	100	(STUK 7231				100%			
133	7232	100	(STUK 7232				100%			
134	7233	100	(STUK 7233				100%			
135	7234	100	(STUK 7234				100%			
136	7235	100	(STUK 7235				100%			
137	7236	100	(STUK 7236				100%			
138	7237	100	(STUK 7237				100%			
139	7238	100	(STUK 7238				100%			
140	7239	100	(STUK 7239				100%			
141	7240	100	(STUK 7240				100%			
142	7241	100	(STUK 7241				100%			
143	7242	100	(STUK 7242				100%			
144	7243	100	(STUK 7243				100%			
145	7244	100	(STUK 7244				100%			
146	7245	100	(STUK 7245				100%			
147	7246	100	(STUK 7246				100%			
148	7247	100	(STUK 7247				100%			
149	7248	100	(STUK 7248				100%			
150	7249	100	(STUK 7249				100%			
151	7250	100	(STUK 7250				100%			
152	7251	100	(STUK 7251				100%			
153	7252	100	(STUK 7252				100%			
154	7253	100	(STUK 7253				100%			
155	7254	100	(STUK 7254				100%			
156	7255	100	(STUK 7255				100%			
157	7256	100	(STUK 7256				100%			
158	7257	100	(STUK 7257				100%			
159	7258	100	(STUK 7258				100%			
160	7259	100	(ST							

(SUB

POSITION

DISTANCE

X	37.193
Y	649.693
Z	-143.899

X	-2
Y	2
Z	0

MACHINE

REMAIN

X	-3153.058
Y	-873.477
Z	-143.899

X	0
Y	41
Z	0

FEED 870 mm/min

CO

NNo. 2
 BNo. 34

AL

AL

TO

289 LUBRICATOR OIL LEVEL

 SEQ. No. SET	 MODAL INFORM	 PROGRAM MONITOR
--	--	---



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Generated on 28.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page