

Image not found or type unknown




Ref. No.:

1444-10311236

Overview and Technical Data:

KHS PET Filling Line for Coldfill and Hotfill (500ml -1.5l)

KHS



Year of Build:

Jan 2017

Description:

Complete KHS PET bottling line for soft drinks and juices.

(500ml bottles 13200 units/hr, 1l 12000 units/hr and 1.5l 9000 units/hr)

Including:

- Includes Control systems
- KHS CIP System
- DRV PET packaging
- cap inspector and sterilizer
- bottle drying
- mixing
- Hotfill pasteurisation and labelling.

Technical Specifications for KHS PET Filling and Packaging Equipment

Stretch Blow Molding Machines

| | |
|--|----------------------------|
| Machine for Blow Molding Bottles Blomax Serie IV / PET Blomax 6 SBLXHR | Consisting of: |
| Machine for Blow Molding Bottles Blomax Serie IV | PET Blomax 6 SBLXHR |
| Blomax Molds | Moulds for 0.5l XHR |
| Blomax Molds | Moulds for 1.0l XHR |
| Blomax Molds | Moulds 1.5l CSD |
| Blomax Molds | Moulds 0.5l CSD |
| Blomax Molds | Moulds 1.0l CSD |
| Blomax Peripherals | Boxtiper |
| Blomax Chiller | Chiller for Blomax |
| Water Heater | Hot water tempering device |

Filling and Packaging Equipment

| | |
|---|---|
| Innofill DRV VF-NH PET 60/15SV; 36pi | Innofill DRV VF-NH PET 60/15SV; 36pi |
| Oriented Cap Feeding System | Orientated cap feeding system |
| Fill Height and Cap Inspection | Fillheight and cap inspection |
| Innopro Paramix C 19/T32-14 | Innopro Paramix C 19/T32-14 |
| Connection of Finished Product Discharge through Double-Walled Rotary Valve Positioned on the Deaerator | Connection of finished product discharge through double-walled rotary valve positioned on the deaerator |
| Innopro HF 15/T20-105-85 | Innopro HF 15/T20-105-85 |
| Innopro CIP 1-1000/3-6000/25/A | Innopro CIP 1-1000/3-6000/25/A |
| Innopro HWSU PET | Innopro HWSU PET |
| Internal Process Piping Material | KHS Internal process piping material |
| Hysek Horizontal Tilter (15s) | Hysek horizontal tilter (15s) |

Auxiliary and Support Equipment

| | |
|--------------------------------------|---|
| Hermis Tunnel Cooler/Warmer | Hermis tunnel cooler/warmer |
| Europool HW Bottle Dryer | Europool HW bottle dryer TF_02 |
| Finpac Sleever | Finpac Sleever |
| Europool HW Bottle Dryer | Europool HW bottle dryer TF_02 |
| Innoket NEO 20 1RF | KHS Labeling Machine Innoket NEO 20 1RF |
| Label Presence Inspection and Pusher | Label presence inspection and pusher |
| Linx Laser 30 WT | Laser coding system Linx laser 30 WT |
| Innopack KISTERS SP60B (4M) | Innopack KISTERS SP60B (4M) |
| Pallet Stretcher Stand Alone | Pallet stretcher stand alone |

| | |
|------------------------------|--|
| Innoline BTR | KHS Bottle Conveyor Systems Innoline BTR |
| Chain Lubrication (Semi Dry) | Chain lubrication (semi dry) |
| Innoline ELS-BTR | KHS Bottle Conveyor Systems Innoline ELS-BTR |
| Innoline GTR | KHS Bottle Conveyor Systems Innoline GTR |

Automation and Control Systems

| | |
|--------------------------------------|--------------------------------|
| KHS ReDiS Diagnostic System | KHS ReDiS network cabinet |
| KHS Mixing System | Innopro Paramix C 19/T32-14 |
| KHS Pasteurization System in Hotfill | Innopro HF 15/T20-105-85 |
| KHS CIP (Cleaning-in-Place) System | Innopro CIP 1-1000/3-6000/25/A |
| KHS HWSU Hot Water Generator | Innopro HWSU PET |

Supplementary Equipment

Cabling Material KHS Internal process piping material

Component Parts Various component parts

Key Features and Capabilities

- Complete PET bottling solutions including stretch blow molding, filling, capping, labeling, and packaging equipment
- Supports a wide range of bottle sizes from 0.5L to 1.5L
- High-speed production from 12,000 to 80,000 bottles per hour
- Modular design for flexible, customizable configurations
- Proven technology with reliable, long-lasting performance
- Comprehensive automation and control systems for efficient operation
- Available auxiliary and support equipment for a turnkey bottling line
- Experienced technical support and after-sales service

Technical Data:

Technical Data:

Control:

CNC

Machine Hours:

9500

Buyer Information:

Condition:

Very good condition

Available:

Immediately

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

Buyers Premium:

18 %

Location:

Europe

Images:





2



3





KHS
Innopack Kisters SP















Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>


Ref. No.:

1444-10311236

Overview and Technical Data:

KHS PET Filling Line for Coldfill and Hotfill (500ml -1.5l)

KHS



Year of Build:
Jan 2017

Description:

Complete KHS PET bottling line for soft drinks and juices.

(500ml bottles 13200 units/hr, 1l 12000 units/hr and 1.5l 9000 units/hr)

Including:

- Includes Control systems
- KHS CIP System
- DRV PET packaging
- cap inspector and sterilizer
- bottle drying
- mixing
- Hotfill pasteurisation and labelling.

Technical Specifications for KHS PET Filling and Packaging Equipment

Stretch Blow Molding Machines

Machine for Blow Molding Bottles Blomax Serie IV / PET Blomax 6 SBLXHR Consisting of:

| | |
|--|----------------------------|
| Machine for Blow Molding Bottles Blomax Serie IV | PET Blomax 6 SBLXHR |
| Blomax Molds | Moulds for 0.5l XHR |
| Blomax Molds | Moulds for 1.0l XHR |
| Blomax Molds | Moulds 1.5l CSD |
| Blomax Molds | Moulds 0.5l CSD |
| Blomax Molds | Moulds 1.0l CSD |
| Blomax Peripherals | Boxtiper |
| Blomax Chiller | Chiller for Blomax |
| Water Heater | Hot water tempering device |

Filling and Packaging Equipment

| | |
|--|---|
| Innofill DRV VF-NH PET 60/15SV; 36pi | Innofill DRV VF-NH PET 60/15SV; 36pi |
| Oriented Cap Feeding System | Orientated cap feeding system |
| Fill Height and Cap Inspection | Fillheight and cap inspection |
| Innopro Paramix C 19/T32-14 | Innopro Paramix C 19/T32-14 |
| Connection of Finished Product Discharge through Double-Walled Rotary Valve Positioned on the Daeaerator | Connection of finished product discharge through double-walled rotary valve positioned on the deaerator |
| Innopro HF 15/T20-105-85 | Innopro HF 15/T20-105-85 |
| Innopro CIP 1-1000/3-6000/25/A | Innopro CIP 1-1000/3-6000/25/A |
| Innopro HWSU PET | Innopro HWSU PET |
| Internal Process Piping Material | KHS Internal process piping material |
| Hysek Horizontal Tilter (15s) | Hysek horizontal tilter (15s) |

Auxiliary and Support Equipment

| | |
|--------------------------------------|--|
| Hermis Tunnel Cooler/Warmer | Hermis tunnel cooler/warmer |
| Europool HW Bottle Dryer | Europool HW bottle dryer TF_02 |
| Finpac Sleever | Finpac Sleever |
| Europool HW Bottle Dryer | Europool HW bottle dryer TF_02 |
| Innoket NEO 20 1RF | KHS Labeling Machine Innoket NEO 20 1RF |
| Label Presence Inspection and Pusher | Label presence inspection and pusher |
| Linx Laser 30 WT | Laser coding system Linx laser 30 WT |
| Innopack KISTERS SP60B (4M) | Innopack KISTERS SP60B (4M) |
| Pallet Stretcher Stand Alone | Pallet stretcher stand alone |
| Innoline BTR | KHS Bottle Conveyor Systems Innoline BTR |
| Chain Lubrication (Semi Dry) | Chain lubrication (semi dry) |
| Innoline ELS-BTR | KHS Bottle Conveyor Systems Innoline ELS-BTR |
| Innoline GTR | KHS Bottle Conveyor Systems Innoline GTR |

Automation and Control Systems

| | |
|--------------------------------------|--------------------------------|
| KHS ReDiS Diagnostic System | KHS ReDiS network cabinet |
| KHS Mixing System | Innopro Paramix C 19/T32-14 |
| KHS Pasteurization System in Hotfill | Innopro HF 15/T20-105-85 |
| KHS CIP (Cleaning-in-Place) System | Innopro CIP 1-1000/3-6000/25/A |
| KHS HWSU Hot Water Generator | Innopro HWSU PET |

Supplementary Equipment

Cabling Material KHS Internal process piping material
 Component Parts Various component parts

Key Features and Capabilities

- Complete PET bottling solutions including stretch blow molding, filling, capping, labeling, and packaging equipment
- Supports a wide range of bottle sizes from 0.5L to 1.5L
- High-speed production from 12,000 to 80,000 bottles per hour
- Modular design for flexible, customizable configurations
- Proven technology with reliable, long-lasting performance
- Comprehensive automation and control systems for efficient operation
- Available auxiliary and support equipment for a turnkey bottling line
- Experienced technical support and after-sales service

Technical Data:

Technical Data:

Control:

CNC

Machine Hours:

9500

Buyer Information:

Condition:

Very good condition

Available:

Immediately

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

Buyers Premium:

18 %

Location:

Europe

Images:





2



3






KHS
Innopack Kisters SP















Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Generated on 16.02.2026

© Copyright 2026 - [Asset-Trade](#)

Page