



# Asset-Trade

Assessment & Sale of Used Assets

Ref. No.: 1450\_12121328

## Overview and Technical Data:

Used TOYODA FH100S Horizontal Machining Center For Sale

TOYODA

Messplatz

**TOYODA**



## Description:

### Used TOYODA FH100S Horizontal Machining Center For Sale

CNC Controls: Fanuc 16i

2x Units Available Build 2004 & 2006

#### Technical Data

- Traves:
  - X-Axis: 1600 mm
  - Y-Axis: 1400 mm
  - Z-Axis: 1150 mm
  - Distance from Table Surface to Spindle Centre: 50 ~ 1450 mm
  - Distance from Table Centre to Spindle Nose: 250 ~1400 mm
  - Cutting Feed Rate X, Y and Z-Axis: 1-24000 mm/min
  - Rapid Feed Rate X, Y and Z-Axis: 24000 mm/min
- Table with two Pallets:
  - Table Size: 1050 x 1050 mm
  - Maximum Load Capacity: 3.,000 kg
  - Minimum Index Angle: 1°
- Spindle:
  - Spindle Taper: BT 50
  - Spindle Speed: 10-6,000 rpm
  - Spindle Motor Output (Max/Cont.): 26.0 / 22.0 kw
  - Spindle Torque (Max/Cont.): 1,267 / 1,071 Nm
  - Type GEARED HEADSTOCK
- Tool Holder/ATC
  - Number of Tools:40x
  - Tool Type: BT50
  - Maximum Tool Diameter adjacent pockets: Ø 120 mm
  - Max. Tool Diameter without Adjacent Tools: Ø 245 mm
  - Maximum Tool Length: 600 mm
  - Maximum Tool Weight: 35 kg
  - Tool Change Time – Tool to Tool: 3 sec
- Dimentions:
  - Floor Space ( LxW ): 4.965x7.775 mm
  - Weight:30.000 kg



## Technical Data:

### Technical Data:

Control: Series 16i  
Spindle Speed: 6.000 rpm  
Tool Holder: BT50  
Tool Capacity: 40 x

### Travels:

X-Axis: 1.600 mm  
Y-Axis: 1.400mm  
Z-Axis: 1.150 mm

### Dimensions and Weight:


Width: 7.775 mm  
Length: 4.965 mm  
Weight: 30.000 kg

### Buyer Information:

Condition: Very good condition  
Availability: Immediately  
Sold as:  
EXW (Ex Works - Incoterm)  
VAT: 19 %  
Buyers Premium: 18 %  
Location: Germany



## Images:






Asset-Trade

e

Assets





# Asset-Trade

Assessment & Sale of Used Assets



**Asset-Trade**

**Assessment and Sale of Used Assets world  
wide**

**Am Sonnenhof 16**

**47800 Krefeld**

**Germany**

**Tel.: +49 2151 32500 33**