

Image not found or type unknown



Ref. No.:  
1503-01141450

## Overview and Technical Data:

# Buy used FRECH DAM500F hot chamber die casting machine

[FRECH](#)

# FRECH

Year of Build:  
Jan 2010

## Description:

# Buy used FRECH DAM500F hot chamber die casting machine

The FRECH DAM500F is a state-of-the-art used hot chamber die casting machine specifically designed for precise and efficient zinc die casting. If you are looking for a hot chamber die casting machine in Germany, this model is an ideal choice for companies that need high-quality industrial machinery for demanding production processes.

Thanks to its robust construction and advanced technology, the FRECH DAM500F offers exceptional performance and efficiency, making it one of the best options for buying used die casting machines. Their reliable performance and long life make them a preferred choice in the industry.

## Specifications:

- Locking force: 639 tons
- Space between tie bars (W x H): 27.56 x 27.56 inches
- Column diameter:: 5.51 inches
- Stationary platen (W x H): 44.09 x 44.09 inches

- Die height (Min-Max): 13.78 x 31.50 inches
  - INJECTION
  - Shot position (below center): 0-6.3 inches
  - Casting volume (Min-Max): 29.3-46-64-85 ci in<sup>2</sup>
  - EJECT
  - Ejection Force: 31.4/16.2 tons
  - Ejection Stroke: 6.29 inches
  - Dry Cycle Speed ??(Max Load): 400 per hour sec
  - Machine Weight: (Approx.)48,500 lbs
- 

This FRECH DAM500F hot chamber die casting machine combines precision, power and reliability, making it a preferred choice for zinc die casting. Its robust construction and advanced technology guarantee a long service life and maximum efficiency in metalworking.

The FRECH industrial die casting systems offer exceptional precision and a long service life, making them ideal for high-volume production environments. With the FRECH DAM500F you are investing in an efficient and powerful solution for your die casting processes.

## **Technical Data:**

## **Technical Data:**

Control:

[CNC](#)

## **Buyer Information:**

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Taiwan

## **Images:**













**DAM 500F**












DAM 500F

FRECH













**警告**



备在高电压和高液压下运行。  
操作电气和液压系统之前，  
关闭主开关。  
把挂锁将主开关锁在关闭位置。  
未经制造商允许，  
不得对结构做任何修改。  
意技术文件和相关的规定。



**FRECH**

设备名称	DAM 600 P
设备编号	
管理人员	
操作人员	
责任人	

**设备状态管理标识**



设备名称: \_\_\_\_\_  
 设备编号: \_\_\_\_\_  
 管理人员: \_\_\_\_\_  
 操作人员: \_\_\_\_\_  
 责任人: \_\_\_\_\_

**個人防護具戴了嗎?**  
**WEAR PPE IN THIS AREA**



☑ 安全帽  
Mũ bảo hộ  
\*(Always wear your safety helmet)\*

☑ 護目鏡  
Kính bảo vệ mắt  
\*(Always wear your eye protection)\*

☑ 耳塞  
Tấm bịt tai  
\*(Always wear your earplugs)\*

☑ 安全鞋  
Giày bảo hộ  
\*(Always wear your safety shoes)\*

**PERSONAL PROTECTIVE EQUIPMENT REQUIREMENTS**

榮輪勞工安全衛生室關心您

**個人防護具戴了嗎?**  
**WEAR PPE IN THIS AREA**



☑ 安全帽  
Mũ bảo hộ  
\*(Always wear your safety helmet)\*

☑ 護目鏡  
Kính bảo vệ mắt  
\*(Always wear your eye protection)\*

☑ 耳塞  
Tấm bịt tai  
\*(Always wear your earplugs)\*

☑ 安全鞋  
Giày bảo hộ  
\*(Always wear your safety shoes)\*

**PERSONAL PROTECTIVE EQUIPMENT REQUIREMENTS**

榮輪勞工安全衛生室關心您





**警告**

本设备在高压和高压下运行，  
操作电气和液压系统之前，  
关闭主开关，  
用一把挂锁将主开关锁在关闭位置，  
未经授权允许，  
不得对结构做任何修改，  
请上意技术文件和相关的安规定。

**FRECH**

设备名称:	
设备编号:	
管理人员:	
操作人员:	
责任人:	

**设备状态管理标识**

设备名称:

设备编号:

管理人员:

操作人员:

责任人:

**个人防护具戴了吗?**  
**WEAR PPE IN THIS AREA**

目视识别作业

安全鞋  
Safety Shoes  
安全眼镜  
Safety Glasses  
手套  
Gloves  
安全帽  
Safety Helmet

个人防护具戴了吗?  
**WEAR PPE IN THIS AREA**

目视识别作业

安全鞋  
Safety Shoes  
安全眼镜  
Safety Glasses  
手套  
Gloves  
安全帽  
Safety Helmet

榮輪勞工安全衛生室關心您

榮輪勞工安全衛生室關心您





# FRECH®

压铸机型号 Machine type Maschinen Typ	DAM 500 F		
制造年份 Year of fabrication Baujahr	2010	压铸机编号 Machine No. Masch. Nr	M500F0058441
额定电压 Rated voltage Nennspannung	3x220V	额定电流 Rated current Nennstrom	166A
频率 Frequency Frequenz	60Hz	标称电流 Fuse protection Vorsicherung	200A
控制电压 Control voltage Steuerspannung	24V DC	电流：液压驱动 Current: hydraulic drive Strom: Hydraulikantrieb	146A
电路图编号 Circuit diagram No. Schaltplan Nr.	M500F0058441		

Oskar Frech GmbH + Co. KG  
73614 Schorndorf / Germany



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://mail.asset-trade.de/en>


Ref. No.:  
1503-01141450

**Overview and Technical Data:**

# Buy used FRECH DAM500F hot chamber die casting machine

[FRECH](#)

# FRECH



Year of Build:  
Jan 2010

## Description:

## Buy used FRECH DAM500F hot chamber die casting machine

The FRECH DAM500F is a state-of-the-art used hot chamber die casting machine specifically designed for precise and efficient zinc die casting. If you are looking for a hot chamber die casting machine in Germany, this model is an ideal choice for companies that need high-quality industrial machinery for demanding production processes.

Thanks to its robust construction and advanced technology, the FRECH DAM500F offers exceptional performance and efficiency, making it one of the best options for buying used die casting machines. Their reliable performance and long life make them a preferred choice in the industry.

## Specifications:

- Locking force: 639 tons
- Space between tie bars (W x H): 27.56 x 27.56 inches
- Column diameter:: 5.51 inches
- Stationary platen (W x H): 44.09 x 44.09 inches
- Die height (Min-Max): 13.78 x 31.50 inches
- INJECTION
- Shot position (below center): 0-6.3 inches
- Casting volume (Min-Max): 29.3-46-64-85 ci in<sup>2</sup>
- EJECT
- Ejection Force: 31.4/16.2 tons
- Ejection Stroke: 6.29 inches
- Dry Cycle Speed ??(Max Load): 400 per hour sec

- Machine Weight: (Approx.)48,500 lbs
- 

This FRECH DAM500F hot chamber die casting machine combines precision, power and reliability, making it a preferred choice for zinc die casting. Its robust construction and advanced technology guarantee a long service life and maximum efficiency in metalworking.

The FRECH industrial die casting systems offer exceptional precision and a long service life, making them ideal for high-volume production environments. With the FRECH DAM500F you are investing in an efficient and powerful solution for your die casting processes.

## **Technical Data:**

## **Technical Data:**

Control:

[CNC](#)

## **Buyer Information:**

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Taiwan

## **Images:**













**DAM 500F**












DAM 500F

FRECH













**警告**



备在高电压和高液压下运行。  
操作电气和液压系统之前，  
关闭主开关。  
把挂锁将主开关锁在关闭位置。  
未经制造商允许，  
不得对结构做任何修改。  
意技术文件和相关的规定。



**FRECH**

DAM 600

设备名称	设备编号
操作人员	管理人员
设备状态	设备日期
设备日期	设备日期
设备日期	设备日期
设备日期	设备日期

**设备状态管理标识**



设备名称: \_\_\_\_\_  
 设备编号: \_\_\_\_\_  
 管理人员: \_\_\_\_\_  
 操作人员: \_\_\_\_\_  
 责任人: \_\_\_\_\_

**個人防護具戴了嗎?**  
WEAR PPE IN THIS AREA

嚴禁帶機作業 Think safe, stay alive



安全帽  
Mũ bảo hộ  
(凡從事帶機作業必須戴)

護目鏡  
Kính bảo vệ mắt

耳塞  
Tấm bịt tai  
(凡從事帶機作業必須戴)

安全鞋  
Giày bảo hộ

安全帶  
Áo dây an toàn  
(凡從事帶機作業必須戴)

安全帶  
Áo dây an toàn  
(凡從事帶機作業必須戴)

**PERSONAL PROTECTIVE EQUIPMENT REQUIRED**

榮輪勞工安全衛生室關心您

**個人防護具戴了嗎?**  
WEAR PPE IN THIS AREA

嚴禁帶機作業 Think safe, stay alive



安全帽  
Mũ bảo hộ  
(凡從事帶機作業必須戴)

護目鏡  
Kính bảo vệ mắt

耳塞  
Tấm bịt tai  
(凡從事帶機作業必須戴)

安全鞋  
Giày bảo hộ

安全帶  
Áo dây an toàn  
(凡從事帶機作業必須戴)

安全帶  
Áo dây an toàn  
(凡從事帶機作業必須戴)

**PERSONAL PROTECTIVE EQUIPMENT REQUIRED**

榮輪勞工安全衛生室關心您





**警告**



本设备在高压和高压下运行，  
操作电气和液压系统之前，  
关闭主开关，  
用一把挂锁将主开关锁在关闭位置，  
未经授权允许，  
不得对结构做任何修改，  
请上意技术文件和相关的安全规定。



**FRECH**

设备名称	
设备编号	
管理日期	
操作人员	
责任人	

**设备状态管理标识**



设备名称: \_\_\_\_\_  
 设备编号: \_\_\_\_\_  
 管理人员: \_\_\_\_\_  
 操作人员: \_\_\_\_\_  
 责任人: \_\_\_\_\_

**个人防护具戴了吗?**  
WEAR PPE IN THIS AREA

目视识别作业



安全鞋 Safety Shoes  
 安全眼镜 Safety Glasses  
 安全帽 Safety Hat

个人防护具  
 Personal Protective Equipment

荣翰劳工安全卫生室關心您

**个人防护具戴了吗?**  
WEAR PPE IN THIS AREA

目视识别作业



安全鞋 Safety Shoes  
 安全眼镜 Safety Glasses  
 安全帽 Safety Hat

个人防护具  
 Personal Protective Equipment

荣翰劳工安全卫生室關心您





# FRECH®

压铸机型号 Machine type Maschinen Typ	DAM 500 F		
制造年份 Year of fabrication Baujahr	2010	压铸机编号 Machine No. Masch. Nr	M500F0058441
额定电压 Rated voltage Nennspannung	3x220V	额定电流 Rated current Nennstrom	166A
频率 Frequency Frequenz	60Hz	标称电流 Fuse protection Vorsicherung	200A
控制电压 Control voltage Steuerspannung	24V DC	电流：液压驱动 Current: hydraulic drive Strom: Hydraulikantrieb	146A
电路图编号 Circuit diagram No. Schaltplan Nr.	M500F0058441		

Oskar Frech GmbH + Co. KG  
73614 Schorndorf / Germany



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://mail.asset-trade.de/en>

Generated on 21.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page