

Image not found or type unknown



Ref. No.:

1609-24021314

### **Overview and Technical Data:**

**COMPLETE Plastic production line COSMETICS and PERFUMERY, jars, bottles, caps and containers for sale**

**KRAUSSMAFFEI**

Year of Build:

Jan 2003

### **Description:**

**COMPLETE Used production line for COSMETICS and PERFUMERY jars, bottles, caps and containers from raw material to finished decorated product**

Products:

- Polypropylene (PP) jars (brand: Tarrosalba)
- PET and HDPE bottles (brand: Petypet)
- Decorated with silk-screen printing, hot stamping and thermal printing

### INJECTION (jars + caps):

- \* KraussMaffei KM150-1000 C1 (2003) + Wittmann W620 robot + conveyor + loader
- \* KraussMaffei KM150-1000 C1 (1997) + Wittmann W711 robot (2005) + conveyor + loader
- \* Battenfeld BK-T 1300/630 (1996) + Piovan robot — motor needs repair

### BLOW MOLDING (bottles):

- \* Voith Fischer VK1-2 double station (1979)
- \* Battenfeld Fischer VK1-1 single station (1988)
- \* Voith Fischer VK1-07 small (1979)

### DECORATION:

- \* MOSS MS1030 screen printing — 3 colors UV, 13,061 hours
- \* IMPAK hot stamping (1988) + Atlas Copco compressor
- \* CEROX 1000 thermal printer (1999, 130k cycles)

### GRINDING / RECYCLING:

- \* TRIA 46-25 TD/SL (20kW)
- \* TRIA 300 CV (Ø750mm)
- \* 2x DIPRE GRS 253 A8 (1998, Italian)

### AUXILIARY:

- \* Ingersoll Rand T30 compressor (2007)
- \* Euroklimatic 251 chiller (2006)
- \* 2x double hopper mixers
- \* Conveyor belt, stackers, pallet trucks

**Live power-on testing available from March 2026, Additional tooling, molds and spare parts also available., On-site inspection available by appointment**

Category	Equipment	Year	Key Specifications	Condition
<b>PREMIUM EQUIPMENT (2000s)</b>				
Injection Molding	KraussMaffei KM150-1000 C1 + WITTMANN W620 robot + ALSI conveyor belt + MOTAN HLX15 loader	2003	150T, 1500kN, diam. 55mm screw 7600kg — S/N 61003307 Complete production cell	Good
Compressor	Ingersoll Rand T30 15T2 HIGH PRESSURE (#1)	2005	15kW / 20HP, 70 bar 1460rpm, 415kg S/N 4000856 — PET blow molding spec	Good
Compressor	Ingersoll Rand T30 15T2 HIGH PRESSURE (#2)	2005	15kW / 20HP, 70 bar 1460rpm, 415kg S/N 4000857 — consecutive serial	Good

Category	Equipment	Year	Key Specifications	Condition
Electric Stacker	LOGITRANS SELFS 1001	2007	700kg cap., 1600mm lift, 24V S/N 072A24043555, 412kg	Battery needs check
<b>BLOW MOLDING</b>				
Blow Molding	Voith Fischer (#1)	TBC	Specs on request	Visual OK
Blow Molding	Voith Fischer (#2)	TBC	Specs on request	Visual OK
Blow Molding	Voith Fischer (#3)	TBC	Specs on request	Visual OK
<b>GRANULATORS</b>				
Granulator	TRIA 46-25 TD/SL	1998	20kW, 1500x1650x1950mm S/N 33159387	Good
Granulator	TRIA 300 CV	—	Hopper diam. 750mm, 1500x700x2000mm S/N 79222	Good
Granulator	DIPRE GRS 253 A8 (#1)	1998	10HP, Italian — S/N 983045	Good
Granulator	DIPRE GRS 253 A8 (#2)	1998	5.5kW, rotor diam. 300mm, 680rpm 420kg — S/N 983015	Good
Granulator	TRIA MA205	—	S/N 79424	NOT WORKING (parts only)
<b>DECORATION &amp; ASSEMBLY</b>				
Screen Printing	MOSS machine	—	Specs on request	Visual OK
Hot Stamping	IMPAK machine	—	Specs on request	Visual OK
Printer	CEROX thermal printer	—	Specs on request	Visual OK
Assembly	Mounting machine (#1)	—	Specs on request	Visual OK
Assembly	Mounting machine (#2)	—	Specs on request	Visual OK
<b>AUXILIARY</b>				
Conveyor	ALSI BANDER TAURO (inclined)	—	2300x270mm, with wheels S/N 1551	Good
Mixer	Double hopper mixer (#1)	—	800x1100x1115mm, with wheels	Good
Mixer	Double hopper mixer (#2)	—	800x1100x1115mm, with wheels	Good
Cooling	EUROKLIMATIC cooling unit	—	In mezzanine — specs on request	Visual OK
Pallet Truck	HYTSU manual	—	Manual hydraulic	Good

Category	Equipment	Year	Key Specifications	Condition
Pallet Truck	CROWN manual	—	Manual hydraulic	Good
<b>BUDGET / REFURBISHMENT OPPORTUNITIES (1990s)</b>				
Injection Molding	KraussMaffei KM150-1000 C1 + WITTMANN W711 robot (2005) + CRIZAF conveyor + MOTAN loader	1997	150T, 1500kN, diam. 55mm screw 7600kg — S/N 154208 Robot is 2005 model (modern servo)	Good
Injection Molding	Battenfeld BK-T 1300/630 + PIOVAN robot	2003	130T clamping Motor needs repair Ideal for refurbishment/resale	Motor broken Rest OK

## Technical Data:

## Technical Data:

Control:

[CNC](#)

## Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Spain

## Images:



**KRAUS**

Maquina inyectora tipo

KM

Clasificación internacional

KM




Año de construcción

Numero de maquina

Peso de la maquina

Krauss-Maffei Aktiengesellschaft München Germany









**Batt**

D-5

Tel.: 02354 / 72

Tel

Tipo	BK-T 13
Año de construcción	19
Máquina no.	51
Presión hidráulica	270 l
Presión nitrógeno	
Eléctrica	230/400
Peso neto	~ 6000



**VOITH FIS**

**KUNSTSTOFFTECHNIK GMBH**

D-5204 Lohmar Hermann-

Telefon: 02246/4031 Tele

Typ:

VK -

Baujahr:

197

Masch.Nr.:

259

Kom.Nr.:

El.Anschluß/Hz.:

220

Ges. KW.:

Schneckenpresse:

35

**Made in Germany**



**KRAUS**

Maquina inyectora tipo

KM

Clasificación International

KM

CE

Año de  
construcción

Numero de  
maquina

Peso de la  
maquina kg

Krauss-Maffei Kunststofftechnik München Germany







MOD.

MS  
U-

MATR.

338

ANNO F.

10



**Battenfeld**  
**FISCHER**  
BLASFORMTECHNIK □ GMBH

D-5204  
Hermann-Lör  
Telefon: 0 22 46  
Telex: 8 89426

Typ:  
Baujahr:  
Masch.Nr.:  
Kom.Nr.:  
Gesamt .. kW.  
El.Anschluß/Hz  
Extruder:

V K	1 - 1
1 9 8 8	
4 2 1 5	
2 2 0 / 3 8 0	
	5 0 Ø

**Made in Germany**



TE 01

IMPAK

FESTO

TE 01

**Talleres A. DEL.**  
**MALIAÑO - CANTABRIA**

EQUIPO TIPO	250V AC	VOLUMEN
Nº FABRICACION	242	MATERIAL
CONTRASEÑA	AP 848	FECHA
PRES. DISEÑO	20 kg/cm <sup>2</sup>	CODIGO
PRES. PRUEBA	30 kg/cm <sup>2</sup>	RAYOS-X
TEMP. DISEÑO	100 °C	RECOCIDO
FLUIDO	AIRE	
CORROSION	1 mm	

MINISTERIO DE INDUSTRIA Y ENERGIA  
 DIRECCION PROVINCIAL EN  
 CANTABRIA

Nº [redacted]  
 PRESION EFECTIVA MAXIMA DE SERVICIO  
 kg/cm<sup>2</sup> 3-11-89 [redacted]





CE

CEA

85, RUE CASTELLION  
01104 OYONNAX - FRANCE

n° MODELE

CERO X

date FABRICATION

01 1997

70

MONO

~

Hz

TRI

380 V



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://mail.asset-trade.de/en>

Ref. No.:

1609-24021314

**Overview and Technical Data:**

# **COMPLETE Plastic production line COSMETICS and PERFUMERY, jars, bottles, caps and containers for sale**

**KRAUSSMAFFEI**

Year of Build:  
Jan 2003

## **Description:**

**COMPLETE Used production line for COSMETICS and PERFUMERY jars, bottles, caps and containers from raw material to finished decorated product**

Products:

- Polypropylene (PP) jars (brand: Tarrosalba)
- PET and HDPE bottles (brand: Petypet)
- Decorated with silk-screen printing, hot stamping and thermal printing

INJECTION (jars + caps):

- \* KraussMaffei KM150-1000 C1 (2003) + Wittmann W620 robot + conveyor + loader
- \* KraussMaffei KM150-1000 C1 (1997) + Wittmann W711 robot (2005) + conveyor + loader
- \* Battenfeld BK-T 1300/630 (1996) + Piovan robot — motor needs repair

BLOW MOLDING (bottles):

- \* Voith Fischer VK1-2 double station (1979)
- \* Battenfeld Fischer VK1-1 single station (1988)

\* Voith Fischer VK1-07 small (1979)

**DECORATION:**

\* MOSS MS1030 screen printing — 3 colors UV, 13,061 hours

\* IMPAK hot stamping (1988) + Atlas Copco compressor

\* CEROX 1000 thermal printer (1999, 130k cycles)

**GRINDING / RECYCLING:**

\* TRIA 46-25 TD/SL (20kW)

\* TRIA 300 CV (Ø750mm)

\* 2x DIPRE GRS 253 A8 (1998, Italian)

**AUXILIARY:**

\* Ingersoll Rand T30 compressor (2007)

\* Euroklimatic 251 chiller (2006)

\* 2x double hopper mixers

\* Conveyor belt, stackers, pallet trucks

**Live power-on testing available from March 2026, Additional tooling, molds and spare parts also available., On-site inspection available by appointment**

Category	Equipment	Year	Key Specifications	Condition
<b>PREMIUM EQUIPMENT (2000s)</b>				
Injection Molding	KraussMaffei KM150-1000 C1 + WITTMANN W620 robot + ALSI conveyor belt + MOTAN HLX15 loader	2003	150T, 1500kN, diam. 55mm screw  7600kg — S/N 61003307  Complete production cell	Good
Compressor	Ingersoll Rand T30 15T2  HIGH PRESSURE (#1)	2005	15kW / 20HP, 70 bar  1460rpm, 415kg  S/N 4000856 — PET blow molding spec	Good
Compressor	Ingersoll Rand T30 15T2  HIGH PRESSURE (#2)	2005	15kW / 20HP, 70 bar  1460rpm, 415kg  S/N 4000857 — consecutive serial	Good
Electric Stacker	LOGITRANS SELFS 1001	2007	700kg cap., 1600mm lift, 24V  S/N 072A24043555, 412kg	Battery needs check
<b>BLOW MOLDING</b>				
Blow Molding	Voith Fischer (#1)	TBC	Specs on request	Visual OK
Blow Molding	Voith Fischer (#2)	TBC	Specs on request	Visual OK

Category	Equipment	Year	Key Specifications	Condition
Blow Molding	Voith Fischer (#3)	TBC	Specs on request	Visual OK
<b>GRANULATORS</b>				
Granulator	TRIA 46-25 TD/SL	1998	20kW, 1500x1650x1950mm S/N 33159387	Good
Granulator	TRIA 300 CV	—	Hopper diam. 750mm, 1500x700x2000mm S/N 79222	Good
Granulator	DIPRE GRS 253 A8 (#1)	1998	10HP, Italian — S/N 983045	Good
Granulator	DIPRE GRS 253 A8 (#2)	1998	5.5kW, rotor diam. 300mm, 680rpm 420kg — S/N 983015	Good
Granulator	TRIA MA205	—	S/N 79424	NOT WORKING (parts only)
<b>DECORATION &amp; ASSEMBLY</b>				
Screen Printing	MOSS machine	—	Specs on request	Visual OK
Hot Stamping	IMPAK machine	—	Specs on request	Visual OK
Printer	CEROX thermal printer	—	Specs on request	Visual OK
Assembly	Mounting machine (#1)	—	Specs on request	Visual OK
Assembly	Mounting machine (#2)	—	Specs on request	Visual OK
<b>AUXILIARY</b>				
Conveyor	ALSI BANDER TAURO (inclined)	—	2300x270mm, with wheels S/N 1551	Good
Mixer	Double hopper mixer (#1)	—	800x1100x1115mm, with wheels	Good
Mixer	Double hopper mixer (#2)	—	800x1100x1115mm, with wheels	Good
Cooling	EUROKLIMATIC cooling unit	—	In mezzanine — specs on request	Visual OK
Pallet Truck	HYTSU manual	—	Manual hydraulic	Good
Pallet Truck	CROWN manual	—	Manual hydraulic	Good
<b>BUDGET / REFURBISHMENT OPPORTUNITIES (1990s)</b>				

Category	Equipment	Year	Key Specifications	Condition
Injection Molding	KraussMaffei KM150-1000 C1 + WITTMANN W711 robot (2005) + CRIZAF conveyor + MOTAN loader	1997	150T, 1500kN, diam. 55mm screw 7600kg — S/N 154208 Robot is 2005 model (modern servo)	Good
Injection Molding	Battenfeld BK-T 1300/630 + PIOVAN robot	2003	130T clamping Motor needs repair Ideal for refurbishment/resale	Motor broken Rest OK

## Technical Data:

## Technical Data:

Control:

[CNC](#)

## Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Spain

## Images:



**KRAUS**

Maquina inyectora tipo

KM

Clasificación internacional

KM




Año de construcción

Numero de maquina

Peso de la maquina

Krauss-Maffei Aktiengesellschaft München Germany









**Batt**

D-5

Tel.: 02354 / 72

Tel

Tipo	BK-T 13
Año de construcción	19
Máquina no.	51
Presión hidráulica	270 l
Presión nitrógeno	
Eléctrica	230/400
Peso neto	~ 6000



**VOITH FIS**

**KUNSTSTOFFTECHNIK GMBH**

D-5204 Lohmar Hermann-

Telefon: 02246/4031 Tele

Typ:

VK -

Baujahr:

197

Masch.Nr.:

259

Kom.Nr.:

El.Anschluß/Hz.:

220

Ges. KW.:

Schneckenpresse:

35

**Made in Germany**



**KRAUS**

Maquina inyectora tipo

KM

Clasificación International

KM

CE

Año de  
construcción

Numero de  
maquina

Peso de la  
maquina kg

Krauss-Maffei Kunststofftechnik München Germany







**SONS**  
**REGGIO E. ITALY**

**MOD.**

**MATR.**

**ANNO F.**

MS  
U-  
338  
10



**Battenfeld**  
**FISCHER**  
BLASFORMTECHNIK □ GMBH

D-5204  
Hermann-Lör  
Telefon: 0 22 46  
Telex: 8 89426

Typ:  
Baujahr:  
Masch.Nr.:  
Kom.Nr.:  
Gesamt .. kW.  
El.Anschluß/Hz  
Extruder:

V K	1 - 1
1 9 8 8	
4 2 1 5	
2 2 0 / 3 8 0	
	5 0 Ø

**Made in Germany**



TE 01

IMPAK

FESTO

TE 01

**Talleres A. DEL.**  
**MALIAÑO - CANTABRIA**

EQUIPO TIPO	250V AC	VOLUMEN
Nº FABRICACION	242	MATERIAL
CONTRASEÑA	AP 848	FECHA
PRES. DISEÑO	20 kg/cm <sup>2</sup>	CODIGO
PRES. PRUEBA	30 kg/cm <sup>2</sup>	RAYOS-X
TEMP. DISEÑO	100 °C	RECOCIDO
FLUIDO	AIRE	
CORROSION	1 mm	

MINISTERIO DE INDUSTRIA Y ENERGIA  
 DIRECCION PROVINCIAL EN  
 CANTABRIA

Nº [REDACTED]  
 PRESION EFECTIVA MAXIMA DE SERVICIO  
 kg/cm<sup>2</sup> 3-11-89 [REDACTED]





CE

CEA

85, RUE CASTELLION  
01104 OYONNAX - FRANCE

n° MODELE

CERO X

date FABRICATION

01 1997

70

MONO

~

Hz

TRI

380 V



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://mail.asset-trade.de/en>

Generated on 06.06.2026

© Copyright 2026 - [Asset-Trade](#)

Page