



Asset-Trade

Assessment & Sale of Used Assets

Ref. Nr.: 1440-10081600

Overview and Technical Data:

**Gebrauchte ENGEL ES 11050/900 Duo
Spritzgussmaschine**

ENGEL

ENGEL

Baujahr: Jan. 2001





Description:

Gebrauchte ENGEL ES 11050/900 Duo Spritzgussmaschine

Technische Daten

ENGEL ES 11050/900

Schneckengröße: 105 mm

Spritzgussgewicht in Polysterol: 4.940 cm³

Theoretische Schussleistung g

Schließdruck: 9000 kN

Gesamtleistungsbedarf kW

Gewicht der Maschine ca. 33-18 t

ENGEL-Roboter ERC 83/1-E

- X-Aixs Länge : 1.300 mm
- X-Aixs Länge : 1.300 mm
- X-Aixs Länge : 1.300 mm

Außerhalb der Serienproduktion

Der Zustand der Maschine wird regelmäßig durch das EngelCare Programm überprüft

Linearroboter auf der Maschine wurde 2021 komplett überholt



Technical Data:

Technical Data:

Steuerung: ENGEL

Dimensions and Weight:

Gewicht: 510.000 kg

Buyer Information:

Zustand: Sehr guten Zustand

Verfügbarkeit: Sofort


Verkauft als: Frei LKW

MwSt.: 19 %

Standort: Deutschland



Images:








As

e

ssets







As

e

ssets




12



13



14



15



16




17




Assets

Assets



18



19

No. 004 Ford		Technical Specification - BMM Datasheet		Date	
No.	004 Ford	Machine Type/Model	Type	Serial No.	Yr.M.
4. Brand	BMM	1200	CLAMPING UNIT - Press	02008	02
5. Description	1200 CLAMPING UNIT - Press	Capacity	5000kg	6. Brand	BMM
7. Injection technology	14 Clamping Mechanism	8. Max. stroke	2.95mm	9. Max. length	1.800mm
10. Theoretical sheet capacity cm ²	4.760 cm ²	11. Max. sheet height	1.800mm	12. Max. width	1.800mm
13. Theoretical sheet capacity t	4.420 t	14. Max. sheet weight	1.800mm	15. Max. thickness	2.95mm
16. Max. injection pressure	4200 bar	17. Max. sheet length	1.800mm	18. Max. sheet width	1.800mm
19. Max. injection rate	1.130 mm/s	20. Max. sheet weight	1.800mm	21. Max. sheet thickness	2.95mm
22. Theoretical Production Capacity	1.130 mm/s	23. Max. sheet length	1.800mm	24. Max. sheet width	1.800mm
25. Max. sheet length	1.800mm	26. Max. sheet weight	1.800mm	27. Max. sheet thickness	2.95mm
28. Max. sheet width	1.800mm	29. Max. sheet height	1.800mm	30. Max. sheet length	1.800mm
31. Max. sheet thickness	2.95mm	32. Max. sheet weight	1.800mm	33. Max. sheet width	1.800mm
34. Max. sheet length	1.800mm	35. Max. sheet height	1.800mm	36. Max. sheet length	1.800mm
37. Max. sheet width	1.800mm	38. Max. sheet weight	1.800mm	39. Max. sheet thickness	2.95mm
40. Max. sheet height	1.800mm	41. Max. sheet length	1.800mm	42. Max. sheet width	1.800mm
43. Max. sheet thickness	2.95mm	44. Max. sheet weight	1.800mm	45. Max. sheet height	1.800mm
46. Max. sheet length	1.800mm	47. Max. sheet width	1.800mm	48. Max. sheet length	1.800mm
49. Max. sheet thickness	2.95mm	50. Max. sheet weight	1.800mm	51. Max. sheet width	1.800mm
52. Max. sheet height	1.800mm	53. Max. sheet length	1.800mm	54. Max. sheet thickness	2.95mm
55. Max. sheet weight	1.800mm	56. Max. sheet width	1.800mm	57. Max. sheet height	1.800mm
58. Max. sheet length	1.800mm	59. Max. sheet weight	1.800mm	60. Max. sheet width	1.800mm
61. Max. sheet thickness	2.95mm	62. Max. sheet height	1.800mm	63. Max. sheet length	1.800mm
64. Max. sheet width	1.800mm	65. Max. sheet weight	1.800mm	66. Max. sheet thickness	2.95mm
67. Max. sheet length	1.800mm	68. Max. sheet width	1.800mm	69. Max. sheet height	1.800mm
70. Max. sheet thickness	2.95mm	71. Max. sheet weight	1.800mm	72. Max. sheet length	1.800mm
73. Max. sheet width	1.800mm	74. Max. sheet height	1.800mm	75. Max. sheet width	1.800mm
76. Max. sheet length	1.800mm	77. Max. sheet weight	1.800mm	78. Max. sheet thickness	2.95mm
79. Max. sheet height	1.800mm	80. Max. sheet length	1.800mm	81. Max. sheet width	1.800mm
82. Max. sheet thickness	2.95mm	83. Max. sheet weight	1.800mm	84. Max. sheet height	1.800mm
85. Max. sheet length	1.800mm	86. Max. sheet width	1.800mm	87. Max. sheet length	1.800mm
88. Max. sheet thickness	2.95mm	89. Max. sheet weight	1.800mm	90. Max. sheet width	1.800mm
91. Max. sheet height	1.800mm	92. Max. sheet length	1.800mm	93. Max. sheet thickness	2.95mm
94. Max. sheet weight	1.800mm	95. Max. sheet width	1.800mm	96. Max. sheet height	1.800mm
97. Max. sheet length	1.800mm	98. Max. sheet weight	1.800mm	99. Max. sheet width	1.800mm
100. Max. sheet thickness	2.95mm	101. Max. sheet height	1.800mm	102. Max. sheet length	1.800mm
103. Max. sheet width	1.800mm	104. Max. sheet weight	1.800mm	105. Max. sheet thickness	2.95mm
106. Max. sheet length	1.800mm	107. Max. sheet width	1.800mm	108. Max. sheet height	1.800mm
109. Max. sheet thickness	2.95mm	110. Max. sheet weight	1.800mm	111. Max. sheet length	1.800mm
112. Max. sheet width	1.800mm	113. Max. sheet height	1.800mm	114. Max. sheet width	1.800mm
115. Max. sheet length	1.800mm	116. Max. sheet weight	1.800mm	117. Max. sheet thickness	2.95mm
118. Max. sheet height	1.800mm	119. Max. sheet length	1.800mm	120. Max. sheet width	1.800mm
121. Max. sheet thickness	2.95mm	122. Max. sheet weight	1.800mm	123. Max. sheet height	1.800mm
124. Max. sheet length	1.800mm	125. Max. sheet width	1.800mm	126. Max. sheet length	1.800mm
127. Max. sheet thickness	2.95mm	128. Max. sheet weight	1.800mm	129. Max. sheet width	1.800mm
130. Max. sheet height	1.800mm	131. Max. sheet length	1.800mm	132. Max. sheet thickness	2.95mm
133. Max. sheet weight	1.800mm	134. Max. sheet width	1.800mm	135. Max. sheet height	1.800mm
136. Max. sheet length	1.800mm	137. Max. sheet weight	1.800mm	138. Max. sheet width	1.800mm
139. Max. sheet thickness	2.95mm	140. Max. sheet height	1.800mm	141. Max. sheet length	1.800mm
142. Max. sheet width	1.800mm	143. Max. sheet weight	1.800mm	144. Max. sheet thickness	2.95mm
145. Max. sheet length	1.800mm	146. Max. sheet width	1.800mm	147. Max. sheet height	1.800mm
148. Max. sheet thickness	2.95mm	149. Max. sheet weight	1.800mm	150. Max. sheet length	1.800mm
151. Max. sheet width	1.800mm	152. Max. sheet height	1.800mm	153. Max. sheet width	1.800mm
154. Max. sheet length	1.800mm	155. Max. sheet weight	1.800mm	156. Max. sheet thickness	2.95mm
157. Max. sheet height	1.800mm	158. Max. sheet length	1.800mm	159. Max. sheet width	1.800mm
160. Max. sheet thickness	2.95mm	161. Max. sheet weight	1.800mm	162. Max. sheet height	1.800mm
163. Max. sheet length	1.800mm	164. Max. sheet width	1.800mm	165. Max. sheet length	1.800mm
166. Max. sheet thickness	2.95mm	167. Max. sheet weight	1.800mm	168. Max. sheet width	1.800mm
169. Max. sheet height	1.800mm	170. Max. sheet length	1.800mm	171. Max. sheet thickness	2.95mm
172. Max. sheet weight	1.800mm	173. Max. sheet width	1.800mm	174. Max. sheet height	1.800mm
175. Max. sheet length	1.800mm	176. Max. sheet weight	1.800mm	177. Max. sheet width	1.800mm
178. Max. sheet thickness	2.95mm	179. Max. sheet height	1.800mm	180. Max. sheet length	1.800mm
181. Max. sheet width	1.800mm	182. Max. sheet weight	1.800mm	183. Max. sheet thickness	2.95mm
184. Max. sheet length	1.800mm	185. Max. sheet width	1.800mm	186. Max. sheet height	1.800mm
187. Max. sheet thickness	2.95mm	188. Max. sheet weight	1.800mm	189. Max. sheet length	1.800mm
190. Max. sheet width	1.800mm	191. Max. sheet height	1.800mm	192. Max. sheet width	1.800mm
193. Max. sheet length	1.800mm	194. Max. sheet weight	1.800mm	195. Max. sheet thickness	2.95mm
196. Max. sheet height	1.800mm	197. Max. sheet length	1.800mm	198. Max. sheet width	1.800mm
199. Max. sheet thickness	2.95mm	200. Max. sheet weight	1.800mm	201. Max. sheet height	1.800mm
202. Max. sheet length	1.800mm	203. Max. sheet width	1.800mm	204. Max. sheet length	1.800mm
205. Max. sheet thickness	2.95mm	206. Max. sheet weight	1.800mm	207. Max. sheet width	1.800mm
208. Max. sheet height	1.800mm	209. Max. sheet length	1.800mm	210. Max. sheet thickness	2.95mm
211. Max. sheet weight	1.800mm	212. Max. sheet width	1.800mm	213. Max. sheet height	1.800mm
214. Max. sheet length	1.800mm	215. Max. sheet weight	1.800mm	216. Max. sheet width	1.800mm
217. Max. sheet thickness	2.95mm	218. Max. sheet height	1.800mm	219. Max. sheet length	1.800mm
220. Max. sheet width	1.800mm	221. Max. sheet weight	1.800mm	222. Max. sheet thickness	2.95mm
223. Max. sheet length	1.800mm	224. Max. sheet width	1.800mm	225. Max. sheet height	1.800mm
226. Max. sheet thickness	2.95mm	227. Max. sheet weight	1.800mm	228. Max. sheet length	1.800mm
229. Max. sheet width	1.800mm	230. Max. sheet height	1.800mm	231. Max. sheet width	1.800mm
232. Max. sheet length	1.800mm	233. Max. sheet weight	1.800mm	234. Max. sheet thickness	2.95mm
235. Max. sheet height	1.800mm	236. Max. sheet length	1.800mm	237. Max. sheet width	1.800mm
238. Max. sheet thickness	2.95mm	239. Max. sheet weight	1.800mm	240. Max. sheet height	1.800mm
241. Max. sheet length	1.800mm	242. Max. sheet width	1.800mm	243. Max. sheet length	1.800mm
244. Max. sheet thickness	2.95mm	245. Max. sheet weight	1.800mm	246. Max. sheet width	1.800mm
247. Max. sheet height	1.800mm	248. Max. sheet length	1.800mm	249. Max. sheet thickness	2.95mm
250. Max. sheet weight	1.800mm	251. Max. sheet width	1.800mm	252. Max. sheet height	1.800mm
253. Max. sheet length	1.800mm	254. Max. sheet weight	1.800mm	255. Max. sheet width	1.800mm
256. Max. sheet thickness	2.95mm	257. Max. sheet height	1.800mm	258. Max. sheet length	1.800mm
259. Max. sheet width	1.800mm	260. Max. sheet weight	1.800mm	261. Max. sheet thickness	2.95mm
262. Max. sheet length	1.800mm	263. Max. sheet width	1.800mm	264. Max. sheet height	1.800mm
265. Max. sheet thickness	2.95mm	266. Max. sheet weight	1.800mm	267. Max. sheet length	1.800mm
268. Max. sheet width	1.800mm	269. Max. sheet height	1.800mm	270. Max. sheet width	1.800mm
271. Max. sheet length	1.800mm	272. Max. sheet weight	1.800mm	273. Max. sheet thickness	2.95mm
274. Max. sheet height	1.800mm	275. Max. sheet length	1.800mm	276. Max. sheet width	1.800mm
277. Max. sheet thickness	2.95mm	278. Max. sheet weight	1.800mm	279. Max. sheet height	1.800mm
280. Max. sheet length	1.800mm	281. Max. sheet width	1.800mm	282. Max. sheet length	1.800mm
283. Max. sheet thickness	2.95mm	284. Max. sheet weight	1.800mm	285. Max. sheet width	1.800mm
286. Max. sheet height	1.800mm	287. Max. sheet length	1.800mm	288. Max. sheet thickness	2.95mm
289. Max. sheet weight	1.800mm	290. Max. sheet width	1.800mm	291. Max. sheet height	1.800mm
292. Max. sheet length	1.800mm	293. Max. sheet weight	1.800mm	294. Max. sheet width	1.800mm
295. Max. sheet thickness	2.95mm	296. Max. sheet height	1.800mm	297. Max. sheet length	1.800mm
298. Max. sheet width	1.800mm	299. Max. sheet weight	1.800mm	300. Max. sheet thickness	2.95mm

20



21

Service valid until
 08/2024
 econnect24
 econnectmonitor T
 econnectmonitor O
 econnect
 econnect



Asset-Trade

Assessment & Sale of Used Assets



Asset-Trade

**Bewertung & Vermarktung von
Industrieanlagen weltweit**

Am Sonnenhof 16

47800 Krefeld

Deutschland

Tel.: +49 2151 32500 33