

Image not found or type unknown



Ref. No.:

407-02201016

Overview and Technical Data:

NAXOS-UNION - RMBO 1100 Crank Pin Grinding Machine

[NAXOS-UNION](#)

EMAG NAXOS

Year of Build:
Jan 1982

Description:

Used NAXOS UNION RMBO 1100 - crankshaft center trunnion grinding

Automatic crankshaft Grinding of the main bearing for 5 - and 6-cylinder crankshaft

- control Marposs
- Centre height 225 mm
- Center distance 1250 m
- Max grinding length 1100 mm
- Grinding diameter 100 mm min max 120mm
- Max grinding length plunge in total width 290 mm
- Chuck 305 mm
- Feed speed 2x 0/200, 0/50, 0/25, 0/5 to / s
- Spindle speed in 8 steps from 35 to 1220
- Workpiece spindle speed 16-250 u / min
- Space Requirements (LWH) 8x 7x 3 m
- Coolant 300l/min
- Power about 100 kVA 380 V 50 Hz

Accessories:

- automatic grinding controller
- automatic longitudinal positioning device
- automatic copy dressing
- 2x steadies
- loading assistance
- Polo filter system

Technical Data:

Technical Data:

Control:

[CNC](#)

Dimensions and Weight:

Height:

3.000 mm

Length:

8.000 mm

Width:

7.000 mm

Weight:

27.000 kg

Buyer Information:

Condition:

[Normal wear](#)

Available:

Immediately

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

Buyers Premium:

15 %


Location:

Germany

Images:







3







Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Ref. No.:

407-02201016

Overview and Technical Data:

NAXOS-UNION - RMBO 1100 Crank Pin Grinding Machine

NAXOS-UNION



NAXOS
UNION

Year of Build:
Jan 1982

Description:

Used NAXOS UNION RMBO 1100 - crankshaft center trunnion grinding

Automatic crankshaft Grinding of the main bearing for 5 - and 6-cylinder crankshaft

- control Marposs
- Centre height 225 mm
- Center distance 1250 m
- Max grinding length 1100 mm
- Grinding diameter 100 mm min max 120mm
- Max grinding length plunge in total width 290 mm
- Chuck 305 mm
- Feed speed 2x 0/200, 0/50, 0/25, 0/5 to / s
- Spindle speed in 8 steps from 35 to 1220
- Workpiece spindle speed 16-250 u / min
- Space Requirements (LWH) 8x 7x 3 m
- Coolant 300l/min
- Power about 100 kVA 380 V 50 Hz

Accessories:

- automatic grinding controller
- automatic longitudinal positioning device
- automatic copy dressing
- 2x steadies
- loading assistance
- Polo filter system

Technical Data:

Technical Data:

Control:

[CNC](#)

Dimensions and Weight:

Height:

3.000 mm

Length:

8.000 mm

Width:

7.000 mm

Weight:

27.000 kg

Buyer Information:

Condition:

Normal wear

Available:

Immediately

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

Buyers Premium:

15 %

Location:


Germany

Images:



1











Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://mail.asset-trade.de/en>

Generated on 02.06.2026

© Copyright 2026 - [Asset-Trade](#)

Page